

Zalman zdroj MegaMax 500W/ ATX / akt. PFC / 120mm ventilátor / 80PLUS

cena vč DPH: **1513 Kč**

cena bez DPH: 1250 Kč

Kód zboží (ID): 4184207

PN: ZM500-TXII

Záruka: 60 měsíců



Model ZM500-TXII Efficiency Max 86% @ 220VAC, Typical Load Dimensions **140(L)** x 150 (W) x 86 (H) mm MTBF 100,000Hours Weight 1.63 kg Operating Temperature 10~45 ? PFC Active PFC 98% Regulatory KC, CE, CB, RoHS, EAC Type Intel ATX 12V Ver2.31 Protection OPP/OVP/UEP/SCP Input Voltage 200-240 VAC Input Current 4A Input Frequency 50-60Hz Fan Size 120mm Rated Speed 2,000RPM Fan Bearing Hydro-Dynamic Bearing Cables (Connector) Mainboard Cable CPU Cable (Connector 2EA) PCI Express Cable (Connector 2EA) S-ATA Cable 2EA (Connector 3EA) Peripheral FDD + Peripheral IDE (Connector 3EA)

```
<table class="boardList inquiry_boardList pro_specTable" style="border-width: 2px 0px; border-style: solid none; border-color: #000000 currentColor; margin: 0px 0px 60px; padding: 0px; width: 100%; text-align: left; color: #333333; text-transform: none; text-indent: 0px; letter-spacing: normal; clear: both; font-size: 16px; font-style: normal; font-variant: normal; font-weight: 400; text-decoration: none; word-spacing: 0px; white-space: normal; border-collapse: separate; table-layout: fixed; box-sizing: border-box; border-spacing: 0px; orphans: 2; -webkit-text-stroke-width: 0px;">
<tbody style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
```

```
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Model</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">ZM500-TXII</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Efficiency</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Max 86% @ 220VAC,
Typical Load</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Dimensions</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;"><span style="color:
#ff0000;"><strong>140</strong></span>(L) x 150 (W) x 86 (H) mm</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">MTBF</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">100,000Hours</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
```

```
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Weight</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">1.63 kg</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Operating Temperature</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">10~45 ?</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">PFC</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Active PFC 98%</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Regulatory</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">KC, CE, CB, RoHS,
EAC</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Type</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
```

```
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Intel ATX 12V
Ver2.31</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Protection</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-
box;">OPP/OVP/UVP/SCP</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Input Voltage</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">200-240 VAC</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Input Current</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">4A</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Input Frequency</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">50-60Hz</td>
</tr>
```

```

<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Fan Size</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">120mm</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Rated Speed</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">2,000RPM</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Fan Bearing</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Hydro-Dynamic
Bearing</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; border-style: none
none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
-ms-word-break: keep-all; box-sizing: border-box;">Cables (Connector)</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Mainboard Cable<br
style="box-sizing: border-box;" />
CPU Cable (COnnector 2EA)<br style="box-sizing: border-box;" />
PCI Express Cable ( Connector 2EA)<br style="box-sizing: border-box;" />
S-ATA Cable 2EA (Connector 3EA)<br style="box-sizing: border-box;" />
Peripheral FDD +<br style="box-sizing: border-box;" />

```

```
Peripheral IDE (Connector 3EA)</td>  
</tr>  
</tbody>  
</table>
```