

# BenQ TK850 4K UHD/ DLP projektor/ 3000ANSI/ 30.000:1/ 2x HDMI/ USB

**cena vč DPH:** **36686 Kč**

**cena bez DPH:** 30319 Kč

**Kód zboží (ID):** 4269122

**PN:** 9H-JLH77-37E

**Záruka:** 36 měsíců



4K Home Entertainment Projector for Sports Fans with HDR-PRO, Dynamic Iris and 3000 ANSI Lumens Brightness 4K UHD resolution with 8.3 million pixels and HDR-PRO™ technology Reaches 98% of Rec. 709 Color Space for accurate colors Specially designed Sports Mode for full immersion Main Specifications Resolution 4K UHD (3840 x 2160) Brightness (ANSI lumens) 3000 lm Contrast Ratio (FOFO)\* 30,000:1 (Dynamic Iris) Speaker Chamber Speaker 5W x 2 All Specifications Display Projection System DLP Resolution 4K UHD (3840 x 2160) Resolution Support VGA (640 x 480) to 4K UHD (3840 x 2160) Brightness (ANSI lumens) 3000 lm Contrast Ratio (FOFO)\* 30,000:1 (Dynamic Iris) Display Color 30 Bits (1.07 billion colors) Native Aspect Ratio Native 16:9 (6 aspect ratio selectable) Light Source Lamp Light Source Wattage 245W Light Source Life\* Normal 4,000 hours, Eco 10,000 hours, SmartEco 15,000 hours Optical Throw Ratio 1.13 - 1.47 (100" @ 8.2 feet/ 2.5 m) Zoom Ratio 1.3x Keystone Adjustment 1D, (Auto) Vertical ± 30 degrees Projection Offset 100% Clear Image Size (Diagonal) 40" ~ 200" Image Size 30" ~ 300" Horizontal Frequency 15K-135K Hz Vertical Scan Rate 23-120 Hz Picture Picture Mode Bright / Living Room / Cinema/ Sports / Silence / (3D)\* / User 1 / HDR / HLG Color Wheel Segment 4 segment (RGBW) Color Wheel Speed 2D: 96Hz; 100Hz; 120Hz, 3D: 120Hz Rec.709 Coverage 98% Audio Speaker Chamber Speaker 5W x 2 Interface HDMI x2 (HDMI 2.0b/HDCP2.2) USB Type A x1 (5V/2.5A power) , x1 (Media Reader, FW Download) USB Type mini B x1 (FW Download, Service) Audio out (3.5mm Mini Jack) x1 RS232 (DB-9pin) x1 DC 12V Trigger (3.5mm Jack) x1 IR Receiver x2 (Front/Top) Security Bar Security Bar / Kensington anti-theft lock slot Special Feature HDR Yes (HDR10, HLG) Motion Enhancer (MEMC) Yes CinemaMaster Video + Yes CinemaMaster Audio+2 Yes Compatibility HDTV Compatibility 720p 50/60Hz, 1080i 50/60Hz, 1080p 24/25/30/50/60Hz, 2160p 23/24/25/30/60Hz 3D Compatibility Frame Packing: Up to 1080p/24Hz, Side by Side: Up to 1080p/60Hz, Top Bottom: Up to 1080p/60Hz Power Power Supply VAC 100 ~ 240 (50/60Hz)

Typical Power Consumption Max 350W, Normal 340W, Eco 280W Standby Power Consumption 0.5 W Max. at 100 ~ 240VAC Acoustic Noise (Typ./Eco.) 32/30dBA (Silence mode) Operating Temperature 0~40 °C Dimension and Weight Dimensions (W x H x D)(mm) 380 x 127 x 263 Net Weight (Kg/ lbs) 4.2 kg / 9.2 lbs Accessories (Standard) Remote Control w/ Battery x1 RCV017 (5J.JKC06.001) Power Cord (by region) x1 (3m) User Manual CD Yes (27L) Quick Start Guide Yes (21L) Warranty Card (by region) Yes Accessories (Optional) Spare Lamp Kit Optional (5J.JKC05.001) 3D Glasses Optional OSD OSD Language Arabic/ Bulgarian/ Croatian/ Czech/ Danish/ Dutch/ English/ Finnish/ French/ German/ Greek/ Hindi/ Hungarian/ Italian/ Indonesian/ Japanese/ Korean/ Norwegian/ Polish/ Portuguese/ Romanian/ Russian/ Simplified Chinese/ Spanish/ Swedish/ Turkish/ Thai/ Traditional Chinese (28 Languages) \*In 3D Mode: Resolution is 1920x1080 in 3D Mode.

4K Home Entertainment Projector for Sports Fans with HDR-PRO, Dynamic Iris and 3000 ANSI Lumens Brightness 4K UHD resolution with 8.3 million pixels and HDR-PRO™ technology Reaches 98% of Rec. 709 Color Space for accurate colors Specially designed Sports Mode for full immersion Main Specifications Resolution 4K UHD (3840 x 2160) Brightness (ANSI lumens) 3000 lm Contrast Ratio (FOFO)\* 30,000:1 (Dynamic Iris) Speaker Chamber Speaker 5W x 2 All Specifications Display Projection System DLP Resolution 4K UHD (3840 x 2160) Resolution Support VGA (640 x 480) to 4K UHD (3840 x 2160) Brightness (ANSI lumens) 3000 lm Contrast Ratio (FOFO)\* 30,000:1 (Dynamic Iris) Display Color 30 Bits (1.07 billion colors) Native Aspect Ratio Native 16:9 (6 aspect ratio selectable) Light Source Lamp Light Source Wattage 245W Light Source Life\* Normal 4,000 hours, Eco 10,000 hours, SmartEco 15,000 hours Optical Throw Ratio 1.13 - 1.47 (100" @ 8.2 feet/ 2.5 m) Zoom Ratio 1.3x Keystone Adjustment 1D, (Auto) Vertical ± 30 degrees Projection Offset 100% Clear Image Size (Diagonal) 40" ~ 200" Image Size 30" ~ 300" Horizontal Frequency 15K-135K Hz Vertical Scan Rate 23-120 Hz Picture Picture Mode Bright / Living Room / Cinema/ Sports / Silence / (3D)\* / User 1 / HDR / HLG Color Wheel Segment 4 segment (RGBW) Color Wheel Speed 2D: 96Hz; 100Hz; 120Hz, 3D: 120Hz Rec.709 Coverage 98% Audio Speaker Chamber Speaker 5W x 2 Interface HDMI x2 (HDMI 2.0b/HDCP2.2) USB Type A x1 (5V/2.5A power) , x1 (Media Reader, FW Download) USB Type mini B x1 (FW Download, Service) Audio out (3.5mm Mini Jack) x1 RS232 (DB-9pin) x1 DC 12V Trigger (3.5mm Jack) x1 IR Receiver x2 (Front/Top) Security Bar Security Bar / Kensington anti-theft lock slot Special Feature HDR Yes (HDR10, HLG) Motion Enhancer (MEMC) Yes CinemaMaster Video + Yes CinemaMaster Audio+2 Yes Compatibility HDTV Compatibility 720p 50/60Hz, 1080i 50/60Hz, 1080p 24/25/30/50/60Hz, 2160p 23/24/25/30/60Hz 3D Compatibility Frame Packing: Up to 1080p/24Hz, Side by Side: Up to 1080p/60Hz, Top Bottom: Up to 1080p/60Hz Power Power Supply VAC 100 ~ 240 (50/60Hz) Typical Power Consumption Max 350W, Normal 340W, Eco 280W Standby Power Consumption 0.5 W Max. at 100 ~ 240VAC Acoustic Noise (Typ./Eco.) 32/30dBA (Silence mode) Operating Temperature 0~40 °C Dimension and Weight Dimensions (W x H x D)(mm) 380 x 127 x 263 Net Weight (Kg/ lbs) 4.2 kg / 9.2 lbs Accessories (Standard) Remote Control w/ Battery x1 RCV017

(5J.JKC06.001) Power Cord (by region) x1 (3m) User Manual CD Yes (27L) Quick Start Guide Yes (21L) Warranty Card (by region) Yes Accessories (Optional) Spare Lamp Kit Optional (5J.JKC05.001) 3D Glasses Optional OSD OSD Language Arabic/ Bulgarian/ Croatian/ Czech/ Danish/ Dutch/ English/ Finnish/ French/ German/ Greek/ Hindi/ Hungarian/ Italian/ Indonesian/ Japanese/ Korean/ Norwegian/ Polish/ Portuguese/ Romanian/ Russian/ Simplified Chinese/ Spanish/ Swedish/ Turkish/ Thai/ Traditional Chinese (28 Languages) \*In 3D Mode: Resolution is 1920x1080 in 3D Mode.