

Cooler Master vodní chladič MasterLiquid ML120L RGB V2, 120mm AiO Liquid - LGA 1700

cena vč DPH: **1999 Kč**

cena bez DPH: 1652 Kč

Kód zboží (ID): 4363604

PN: MLW-D12M-A18PC-R2

Záruka: 24 měsíců



CoolerMaster MasterLiquid ML120L RGB V2 is a refreshed design from the popular MasterLiquid Lite Series that elevates the exterior design elements. The Pump of the ML120L RGB V2 has been enhanced with the newly designed 3rd-gen Dual Chamber Pump that improves the overall cooling efficiency of the AIO water cooler. The radiator surface area has been enlarged to increase the surface area for heat dissipation for optimized cooling performance. The ML120L RGB V2 includes the latest SickLeFlow120 RGB fan with a brand new design and Air Balance fan blades that is quieter than before without compromising on air flow and pressure.

- **3rd Generation Dual Chamber Pump** - Newly designed dual chamber pump for improved overall cooling efficiency and performance.
- **Enlarged Cooling Surface Area** - Increased surface area on the radiator for better heat dissipation and enhanced cooling performance.
- **New SickLeFlow120 RGB Fan** - Improved lighting and performance using Air Balance fan blades, with new refreshed exterior design.
- **Reinforced Sealing** - Using unique formula from high Industrial Grade EPDM material to increase the lifespan and reinforce the sealing to prevent leakage.
- **RGB Lighting Solution** - Fully customizable RGB lighting that is certified compatible with all major motherboard manufacturers (Wired Controller also included).

TECHNICAL SPECIFICATIONS

Product Number MLW-D12M-A18PC-R2 **CPU Socket** LGA 2066/ 2011-v3 / 2011 /

1151 / 1150 / 1155 / 1156 / 1366. LGA 1700 AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1 **Dimensions (L x W x H)** 157 x 119.6 x 27.2 mm **Weight** 0.649 kg **Heat Sink Material** Aluminium **Fan Dimensions (L x W x H)** 120 x 120 x 25 mm **Fan Speed** 650 ~ 1800 RPM **Fan Airflow** 62 CFM (Max) **Fan Static Pressure** 2.5 mmH2O **Fan Noise Level** 8 ~ 27 dBA **Fan Life Expectancy** 160,000 hours **Connector** 4-pin PWM **Rated Voltage** 12 VDC **Fan Rated Current** 0.15 A **Series** MasterLiquid **Cooler Type** Liquid Cooler

CoolerMaster MasterLiquid ML120L RGB V2 is a refreshed design from the popular MasterLiquid Lite Series that elevates the exterior design elements. The Pump of the ML120L RGB V2 has been enhanced with the newly designed 3rd-gen Dual Chamber Pump that improves the overall cooling efficiency of the AIO water cooler. The radiator surface area has been enlarged to increase the surface area for heat dissipation for optimized cooling performance. The ML120L RGB V2 includes the latest SickleFlow120 RGB fan with a brand new design and Air Balance fan blades that is quieter than before without compromising on air flow and pressure.

3rd Generation Dual Chamber Pump - Newly designed dual chamber pump for improved overall cooling efficiency and performance.

Enlarged Cooling Surface Area - Increased surface area on the radiator for better heat dissipation and enhanced cooling performance.

New SickleFlow120 RGB Fan - Improved lighting and performance using Air Balance fan blades, with new refreshed exterior design.

Reinforced Sealing - Using unique formula from high Industrial Grade EPDM material to increase the lifespan and reinforce the sealing to prevent leakage.

RGB Lighting Solution - Fully customizable RGB lighting that is certified compatible with all major motherboard manufacturers (Wired Controller also included).

<p>TECHNICAL SPECIFICATIONS</p>

<table dir="ltr" border="1" cellpadding="2" style="width: 880px; border-spacing: 0px;">

<tbody>

<tr>

<td style="width: 30%; height: 19px; width: 74%; height: 19px;">Product Number</td>

<td style="width: 74%; height: 19px;">MLW-D12M-A18PC-R2</td>

</tr>

<tr>

<td style="width: 30%; height: 19px; width: 74%; height: 19px;">CPU Socket</td>

<td style="width: 74%; height: 19px;">LGA 2066/ 2011-v3 / 2011 / 1151 / 1150 / 1155 / 1156 / 1366. LGA 1700

AM4 / AM3+ / AM3 / AM2+ / AM2 / FM2+ / FM2 / FM1	
Dimensions (L x W x H)	157 x 119.6 x 27.2 mm
Weight	0.649 kg
Heat Sink Material	Aluminium
Fan Dimensions (L x W x H)	120 x 120 x 25 mm
Fan Speed	650 ~ 1800 RPM
Fan Airflow	62 CFM (Max)
Fan Static Pressure	2.5 mmH2O
Fan Noise Level	8 ~ 27 dBA
Fan Life Expectancy	160,000 hours

```

19px;"><strong>Connector</strong></td>
<td style="width: 74%; height: 19px;">4-pin PWM</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>Rated
Voltage</strong></td>
<td style="width: 74%; height: 19px;">12 VDC</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>Fan
Rated Current</strong></td>
<td style="width: 74%; height: 19px;">0.15 A</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height:
19px;"><strong>Series</strong></td>
<td style="width: 74%; height: 19px;">MasterLiquid</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>Cooler
Type</strong></td>
<td style="width: 74%; height: 19px;">Liquid Cooler</td>
</tr>
</tbody>
</table>

```