

# Zalman zdroj ZM1000-EBTII Watttera / 1000W / ATX / akt. PFC / 135mm ventilátor / 100-240V / 80+ Gold

**cena vč DPH:** **6294 Kč**

cena bez DPH: 5202 Kč

**Kód zboží (ID):** 5099322

**PN:** ZM1000-EBTII

**Záruka:** 60 měsíců



Model WATTTERA [1000W] ZM1000-EBTII

80PLUS GOLD Power Supply Efficiency Max 91% @ 230 VAC, Typical Load

Dimensions 160 (L) x 150 (W) x 86 (H) mm MTBF 100,000Hours Weight 3.24kg

Operating Temperature 0~40 C PFC Active PFC (>0.9) Regulatory UL, FCC, CB, CE,

KC, EAC, RoHS Type Intel ATX 12V Ver 2.31 Protection OCP/OVP/OPP/OTP/UVP/SCP

Input Voltage 100-240 VAC Input Current 11A-5.5A Input Frequency 50-60 Hz Fan

Size 135mm Fan Bearing Two Ball Bearing Cables (Connector) Mainboard (Sense

Connector 1ea) Cable X 1

EPS Cable X 2

PCI Express Cable X 5

LDE (Connector 3ea) + FDD (Connector 1ea) Cable X 1 S-ATA Cable X 2 80 PLUS

Gold

<table class="boardList inquiry\_boardList pro\_specTable" style="border-width: 2px 0px; margin: 0px 0px 60px; padding: 0px; width: 1200px; color: #333333; text-transform: none; letter-spacing: normal; clear: both; font-family: 'Noto Sans KR', sans-serif; font-size: 16px; font-style: normal; font-weight: 400; word-spacing: 0px; border-top-color: #000000; border-bottom-color: #000000; border-top-style: solid; border-bottom-style: solid; white-space: normal; border-collapse: separate; table-layout: fixed; box-sizing: border-box; border-spacing: 0px; orphans: 2; widows: 2; font-variant-ligatures: normal; font-variant-caps: normal; -webkit-text-stroke-width:

```
0px; text-decoration-thickness: initial; text-decoration-style: initial; text-decoration-color: initial;">
<tbody style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding: 15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle; border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-all; box-sizing: border-box;">Model</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px; text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position: relative; -ms-word-break: break-all; box-sizing: border-box;">WATTTERRA [1000W] ZM1000-EBTII<br style="box-sizing: border-box;" />
80PLUS GOLD Power Supply</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding: 15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle; border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-all; box-sizing: border-box;">Efficiency</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px; text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position: relative; -ms-word-break: break-all; box-sizing: border-box;">Max 91% @ 230 VAC, Typical Load</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding: 15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle; border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-all; box-sizing: border-box;">Dimensions</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px; text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position: relative; -ms-word-break: break-all; box-sizing: border-box;">160 (L) x 150 (W) x 86 (H) mm</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding: 15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle; border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-all; box-sizing: border-box;">MTBF</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
```

```
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">100,000Hours</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Weight</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">3.24kg</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Operating Temperature</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">0~40 C</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">PFC</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Active PFC
(&gt;0.9)</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Regulatory</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">UL, FCC, CB, CE, KC,
EAC, RoHS</td>
</tr>
```

```
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Type</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Intel ATX 12V Ver
2.31</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Protection</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-
box;">OCP/OVP/OPP/OTP/UVP/SCP</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Input Voltage</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">100-240 VAC</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Input Current</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">11A-5.5A</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
```

```

15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Input Frequency</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">50-60 Hz</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Fan Size</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">135mm</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Fan Bearing</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Two Ball
Bearing</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Cables (Connector)</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Mainboard (Sense
Connector 1ea) Cable X 1<br style="box-sizing: border-box;" />
EPS Cable X 2<br style="box-sizing: border-box;" />
PCI Express Cable X 5<br style="box-sizing: border-box;" />
LDE (Connector 3ea) + FDD (Connector 1ea) Cable X 1 S-ATA Cable X 2</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:

```

```
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">80 PLUS</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Gold</td>
</tr>
</tbody>
</table>
```