

Zalman zdroj ZM1200-EBTII Watttera / 1200W / ATX / akt. PFC / 135mm ventilátor / 100-240V / 80+ Gold

cena vč DPH: **3378 Kč**

cena bez DPH: 2792 Kč

Kód zboží (ID): 5105499

PN: ZM1200-EBTII

Záruka: 60 měsíců



Model WATTTERA [1200W] ZM1200-EBTII

80PLUS GOLD Power Supply Efficiency Max 91% @ 230 VAC, Typical Load

Dimensions 160 (L) x 150 (W) x 86 (H) mm MTBF 100,000 Hours Weight 3.48 kg

Operating Temperature 0~40 C PFC Active PFC(>0.9) Regulatory UL, FCC, CB, CE, KC, EAC, RoHS Type Intel ATX 12V ver.2.31 Protection OCP/ OVP/ OPP/ OTP/ UVP/ SCP Input Voltage 115- 240 VAC Input Current 12-6A Input Frequency 50-60Hz Fan Size 135mm Fan Bearing Two Ball Bearing Cables (Connector) Mainboard (Sense Connector 1ea) Cable X 1

EPS Cable X 2

PCI Express Cable X 8

IDE (Connector 3ea) + FDD (Connector 1ea) Cable X 1

S-ATA Cable X 3 80 PLUS Gold

<table class="boardList inquiry_boardList pro_specTable" style="border-width: 2px 0px; margin: 0px 0px 60px; padding: 0px; width: 1200px; color: #333333; text-transform: none; letter-spacing: normal; clear: both; font-family: 'Noto Sans KR', sans-serif; font-size: 16px; font-style: normal; font-weight: 400; word-spacing: 0px; border-top-color: #000000; border-bottom-color: #000000; border-top-style: solid; border-bottom-style: solid; white-space: normal; border-collapse: separate; table-layout: fixed; box-sizing: border-box; border-spacing: 0px; orphans: 2; widows: 2; font-variant-ligatures: normal; font-variant-caps: normal; -webkit-text-stroke-width:

```
0px; text-decoration-thickness: initial; text-decoration-style: initial; text-decoration-color: initial;">
<tbody style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding: 15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle; border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-all; box-sizing: border-box;">Model</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px; text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position: relative; -ms-word-break: break-all; box-sizing: border-box;">WATTTERRA [1200W] ZM1200-EBTII<br style="box-sizing: border-box;" />
80PLUS GOLD Power Supply</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding: 15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle; border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-all; box-sizing: border-box;">Efficiency</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px; text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position: relative; -ms-word-break: break-all; box-sizing: border-box;">Max 91% @ 230 VAC, Typical Load</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding: 15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle; border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-all; box-sizing: border-box;">Dimensions</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px; text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position: relative; -ms-word-break: break-all; box-sizing: border-box;">160 (L) x 150 (W) x 86 (H) mm</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400; vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding: 15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle; border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-all; box-sizing: border-box;">MTBF</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid; border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
```

```
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">100,000 Hours</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Weight</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">3.48 kg</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Operating Temperature</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">0~40 C</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">PFC</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Active
PFC(&gt;0.9)</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Regulatory</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">UL, FCC, CB, CE, KC,
EAC, RoHS</td>
</tr>
```

```
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Type</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Intel ATX 12V
ver.2.31</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Protection</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">OCP/ OVP/ OPP/ OTP/
UVP/ SCP</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Input Voltage</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">115- 240 VAC</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Input Current</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">12-6A</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
```

```
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Input Frequency</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">50-60Hz</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Fan Size</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">135mm</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Fan Bearing</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Two Ball
Bearing</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">Cables (Connector)</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Mainboard (Sense
Connector 1ea) Cable X 1<br style="box-sizing: border-box;" />
EPS Cable X 2<br style="box-sizing: border-box;" />
PCI Express Cable X 8<br style="box-sizing: border-box;" />
IDE (Connector 3ea) + FDD (Connector 1ea) Cable X 1<br style="box-sizing:
border-box;" />
S-ATA Cable X 3</td>
</tr>
<tr style="margin: 0px; padding: 0px; border: 0px currentColor; font-weight: 400;
```

```
vertical-align: middle; -ms-word-break: break-all; box-sizing: border-box;">
<th style="background: #f3f3f3; border-width: 0px 0px 1px; margin: 0px; padding:
15px; text-align: center; color: #333333; font-weight: bold; vertical-align: middle;
border-bottom-color: #cccccc; border-bottom-style: solid; -ms-word-break: keep-
all; box-sizing: border-box;">80 PLUS</th>
<td style="border-width: 0px medium 1px 0px; border-style: none none solid;
border-color: currentColor currentColor #cccccc; margin: 0px; padding: 10px 30px;
text-align: left; font-size: 17px; font-weight: 400; vertical-align: middle; position:
relative; -ms-word-break: break-all; box-sizing: border-box;">Gold</td>
</tr>
</tbody>
</table>
```