

MSI monitor PRO MP271C, 27" zakřivený/1920 x 1080 (FHD)/VA/1ms/4000:1/250cd / m2/2x HDMI/D- Sub

cena vč DPH: **4350 Kč**

cena bez DPH: 3595 Kč

Kód zboží (ID): 5392063

PN: PRO-MP271C

Záruka: 24 měsíců



MSI monitor PRO MP271C, 27" zakřivený/1920 x 1080 (FHD)/VA/1ms/4000:1/250cd / m2/2x HDMI/D-Sub MKT Spec PRO MP271C Website Name PRO MP271C Color ID1/Black-Black Local Dimming NA Display Screen Size 27" (69 cm) Active Display Area (mm) 597.888(H) x 336.312(V) Curvature Curve 1500R Panel Type VA Resolution 1920x1080 (FHD) Pixel pitch (mm) 0.3114(H)x0.3114(V) Aspect Ratio 16:9 Dynamic Refresh Rate technology FreeSync Dynamic Refresh Rate Activated Range 48~75Hz HDR (High dynamic range) N/A SDR Brightness (nits) 250 HDR Brightness (Peak nits) NA Contrast Ratio 4000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 30~112 KHz(H) / 48~75 Hz(V) Refresh Rate 75Hz Response Time (MPRT) 1ms(MPRT) Response Time (GTG) 5ms Response Time (Tr + Tf) N/A View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap) 85.2%/80.9% NTSC (CIE1931 area percentage/overlap) 72.4%/71.2% sRGB (CIE1976 area percentage/overlap) 97.7%/94.1% sRGB (CIE1931 area percentage/overlap) 102.3%/96.6% Adobe RGB (CIE1976 area percentage/overlap) 83.7%/82.6% Adobe RGB (CIE1931 area percentage/overlap) 75.8%/74.8% DCI-P3 (CIE1976 area percentage/overlap) 77.8%/77.7% DCI-P3 (CIE1931 area percentage/overlap) 75.4%/75.3% Rec.709 (CIE1976 area percentage/overlap) 97.7%/94.1% Rec.709 (CIE1931 area percentage/overlap) 102.3%/96.6% Rec.2020 (CIE1976 area percentage/overlap) 56.7%/56.7% Rec.2020 (CIE1931 area percentage/overlap) 54.1%/54.1% Quantum Dot N/A Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 16.7M Color bit 8 bits Note_DP NA Note_HDMI 1920 x 1080 (Up to 75Hz) Note_DVI N/A I/O Ports HDMI 1 HDMI version 1.4b HDMI HDCP version 1.4 DisplayPort NA DisplayPort version NA DisplayPort

HDCP version NA Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) NA DVI NA D-Sub 1 Line-in N/A Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader NA Lock type Kensington Lock Speaker 2 Webcam NA Power Country EU Territory EU Entity EU OBD Power Type Power Cable Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 26 Annual Energy Consumption (KWh) N/A Standby-mode Power Consumption (W) 0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating F Adapter's KC safety Number N/A Power Cord Type C13 QC Output NA QC Output Power N/A PD Output NA PD Output Power N/A Warranty Warranty 24M Design Adjustment (Tilt) -3.5° ~ 21.5° Adjustment (Swivel) NA Adjustment (Height) NA Adjustment (Pivot) NA VESA Mounting 100x100mm Frameless Design Yes Pallet pcs/Carton pallet Q'ty (by air) pcs 20 Q'ty/20cy (by air) pcs 200 Q'ty/40cy (by air) pcs 420 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1082 Net Weight (by air) kg 146.0 Gross Weight (by air) kg 167.2 pallet Q'ty (by sea) pcs 43 Q'ty/20cy (by sea) pcs 430 Q'ty/40cy (by sea) pcs 903 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2195 Net Weight (by sea) kg 313.9 Gross Weight (by sea) kg 335.1 Inside Carton Dimension (WxDxH) Inside Carton Dimension (WxDxH) (mm) 684 x 156 x 474 Outer Carton Dimension (WxDxH) Outer Carton Dimension (WxDxH) (mm) 699 x 173 x 499 Product Dimension with Stand (WxDxH) Product Dimension with Stand (WxDxH) (mm) 610.34 x 237 x 454.8 Product Dimension without Stand (WxDxH) Product Dimension without Stand (WxDxH) (mm) 610.34 x 79.65 x 367.34 Stand Dimension (WxDxH) Stand Dimension (WxDxH) (mm) 240 x 237 x 146.6 Weight Weight (Net kg) 5.4 Weight (Gross kg) 7.3 Weight Without Stand (kg) 4.31 Accessories DisplayPort Cable 0 HDMI Cable 1 DVI Cable 0 USB Type A to Type B Cable 0 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable N/A Power Cord 1 AC Adaptor 0 Quick Guide 1 Warranty Card 0 Mouse Bungee Unit 0 VESA Screw 0 Switch Case N/A Portable Screen Protection Case N/A Monitor Hood N/A Speaker (Accessories) N/A Barcode Info EAN 4719072913526

MSI monitor PRO MP271C, 27" zakřivený/1920 x 1080 (FHD)/VA/1ms/4000:1/250cd / m2/2x HDMI/D-Sub MKT Spec PRO MP271C Website Name PRO MP271C Color ID1/Black-Black Local Dimming NA Display Screen Size 27" (69 cm) Active Display Area (mm) 597.888(H) x 336.312(V) Curvature Curve 1500R Panel Type VA Resolution 1920x1080 (FHD) Pixel pitch (mm) 0.3114(H)x0.3114(V) Aspect Ratio 16:9 Dynamic Refresh Rate technology FreeSync Dynamic Refresh Rate Activated Range 48~75Hz HDR (High dynamic range) N/A SDR Brightness (nits) 250 HDR Brightness (Peak nits) NA Contrast Ratio 4000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 30~112 KHz(H) / 48~75 Hz(V) Refresh Rate 75Hz Response Time (MPRT) 1ms(MPRT) Response Time (GTG) 5ms Response Time (Tr + Tf) N/A View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap)

85.2%/80.9% NTSC (CIE1931 area percentage/overlap) 72.4%/71.2% sRGB (CIE1976 area percentage/overlap) 97.7%/94.1% sRGB (CIE1931 area percentage/overlap) 102.3%/96.6% Adobe RGB (CIE1976 area percentage/overlap) 83.7%/82.6% Adobe RGB (CIE1931 area percentage/overlap) 75.8%/74.8% DCI-P3 (CIE1976 area percentage/overlap) 77.8%/77.7% DCI-P3 (CIE1931 area percentage/overlap) 75.4%/75.3% Rec.709 (CIE1976 area percentage/overlap) 97.7%/94.1% Rec.709 (CIE1931 area percentage/overlap) 102.3%/96.6% Rec.2020 (CIE1976 area percentage/overlap) 56.7%/56.7% Rec.2020 (CIE1931 area percentage/overlap) 54.1%/54.1% Quantum Dot N/A Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 16.7M Color bit 8 bits Note_DP NA Note_HDMI 1920 x 1080 (Up to 75Hz) Note_DVI N/A I/O Ports HDMI 1 HDMI version 1.4b HDMI HDCP version 1.4 DisplayPort NA DisplayPort version NA DisplayPort HDCP version NA Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) NA DVI NA D-Sub 1 Line-in N/A Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader NA Lock type Kensington Lock Speaker 2 Webcam NA Power Country EU Territory EU Entity EU OBD Power Type Power Cable Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 26 Annual Energy Consumption (KWh) N/A Standby-mode Power Consumption (W) 0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating F Adapter's KC safety Number N/A Power Cord Type C13 QC Output NA QC Output Power N/A PD Output NA PD Output Power N/A Warranty Warranty 24M Design Adjustment (Tilt) -3.5° ~ 21.5° Adjustment (Swivel) NA Adjustment (Height) NA Adjustment (Pivot) NA VESA Mounting 100x100mm Frameless Design Yes Pallet pcs/Carton pallet Q'ty (by air) pcs 20 Q'ty/20cy (by air) pcs 200 Q'ty/40cy (by air) pcs 420 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1082 Net Weight (by air) kg 146.0 Gross Weight (by air) kg 167.2 pallet Q'ty (by sea) pcs 43 Q'ty/20cy (by sea) pcs 430 Q'ty/40cy (by sea) pcs 903 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2195 Net Weight (by sea) kg 313.9 Gross Weight (by sea) kg 335.1 Inside Carton Dimension (WxDxH) Inside Carton Dimension (WxDxH) (mm) 684 x 156 x 474 Outer Carton Dimension (WxDxH) Outer Carton Dimension (WxDxH) (mm) 699 x 173 x 499 Product Dimension with Stand (WxDxH) Product Dimension with Stand (WxDxH) (mm) 610.34 x 237 x 454.8 Product Dimension without Stand (WxDxH) Product Dimension without Stand (WxDxH) (mm) 610.34 x 79.65 x 367.34 Stand Dimension (WxDxH) Stand Dimension (WxDxH) (mm) 240 x 237 x 146.6 Weight Weight (Net kg) 5.4 Weight (Gross kg) 7.3 Weight Without Stand (kg) 4.31 Accessories DisplayPort Cable 0 HDMI Cable 1 DVI Cable 0 USB Type A to Type B Cable 0 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable N/A Power Cord 1 AC Adaptor 0 Quick Guide 1 Warranty Card 0 Mouse Bungee Unit 0 VESA Screw 0 Switch Case N/A Portable Screen Protection Case N/A Monitor Hood N/A Speaker (Accessories) N/A Barcode Info EAN 4719072913526