

# MSI Gaming monitor Optix MPG341QR, 34"/3440 x 1440 /IPS, 144Hz/1ms/1000:1/550cd / m2 /2xHDMI/DP/USB-C/USB

**cena vč DPH: 20811 Kč**

cena bez DPH: 17199 Kč

**Kód zboží (ID): 5467398**

**PN:** OPTIX-MPG341QR

**Záruka:** 24 měsíců



MSI Gaming monitor Optix MPG341QR, 34"/3440 x 1440 /IPS,  
144Hz/1ms/1000:1/550cd / m2 /2xHDMI/DP/USB-C/USB MKT Name Optix MPG341QR  
Entity MKT Name MKT Spec Optix MPG341QR Website Name Optix MPG341QR Color  
ID1/Black-Black Local Dimming NA Display Screen Size 34" (86.36 cm) Active  
Display Area (mm) 799.8 (H) x 334.8 (V) Curvature Flat Panel Type IPS Resolution  
3440x1440 (UWQHD) Pixel pitch (mm) 0.2325(H)x0.2325(V) Aspect Ratio 21:9  
Dynamic Refresh Rate technology G-SYNC Compatible Dynamic Refresh Rate  
Activated Range 48Hz-144Hz HDR (High dynamic range) HDR 400 SDR Brightness  
(nits) 550 HDR Brightness (Peak nits) 600 Contrast Ratio 1000:1 DCR (Dynamic  
Contrast Ratio) 100000000:1 Signal Frequency 72~216 KHz(H) / 48~144 Hz(V)  
Refresh Rate 144HZ Response Time (MPRT) 1ms(MPRT) Response Time (GTG) 4ms  
Response Time (Tr + Tf) 10ms View Angles 178°(H)/178°(V) NTSC (CIE1976 area  
percentage/overlap) 106.8% / 82.5% NTSC (CIE1931 area percentage/overlap)  
83.8% /75.8% sRGB (CIE1976 area percentage/overlap) 122.5% /99.4% sRGB  
(CIE1931 area percentage/overlap) 118.3%/99.8% Adobe RGB (CIE1976 area  
percentage/overlap) 105% /88.2% Adobe RGB (CIE1931 area percentage/overlap)  
87.7% /80.8% DCI-P3 (CIE1976 area percentage/overlap) 97.6%/91.5% DCI-P3  
(CIE1931 area percentage/overlap) 87.2%/85.4% Rec.709 (CIE1976 area  
percentage/overlap) 122.5%/99.4% Rec.709 (CIE1931 area percentage/overlap)  
118.3%/99.8% Rec.2020 (CIE1976 area percentage/overlap) N/A Rec.2020 (CIE1931  
area percentage/overlap) N/A Quantum Dot N/A Surface Treatment Anti-glare Touch  
Screen Non-touch Display Colors 1.07B Color bit 10 bits (8 bits + FRC) Note\_DP  
3440 x1440 (Up to 144Hz) Note\_HDMI 3440 x 1440 (Up to 100Hz) Note\_DVI N/A I/O

Ports HDMI 2 HDMI version 2.0 HDMI HDCP version 2.3 DisplayPort 1 DisplayPort version 1.4 DisplayPort HDCP version 2.3 Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) 1 DVI NA D-Sub NA Line-in N/A Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A 2 USB 2.0 Type B 1 USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader N/A Lock type Kensington Lock Speaker NA Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adapter 20V 6A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 40 Annual Energy Consumption (KWh) 40 Standby-mode Power Consumption (W) 0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating G Adapter's KC safety Number N/A Power Cord Type C5 QC Output NA QC Output Power NA PD Output NA PD Output Power NA Warranty Warranty 36M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) -30° ~ 30° Adjustment (Height) 0 ~ 100 mm Adjustment (Pivot) NA VESA Mounting 100x100mm Frameless Design Yes Pallet pcs/Carton pallet Q'ty (by air) pcs 12 Q'ty/20cy (by air) pcs 120 Q'ty/40cy (by air) pcs 252 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 125 Net Weight (by air) kg 21.24 Gross Weight (by air) kg 177.24 pallet Q'ty (by sea) pcs 18 Q'ty/20cy (by sea) pcs 180 Q'ty/40cy (by sea) pcs 378 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 125 Net Weight (by sea) kg 21.24 Gross Weight (by sea) kg 177.24 Inside Carton Dimension (WxDxH) Inside Carton Dimension (WxDxH) (mm) 947 x 181 x 640 Inside Carton Dimension (WxDxH) (inch) 37.28 x 7.13 x 25.2 Outer Carton Dimension (WxDxH) Outer Carton Dimension (WxDxH) (mm) 962 x 196 x 665 Outer Carton Dimension (WxDxH) (inch) 37.87 x 7.72 x 26.18 Product Dimension with Stand (WxDxH) Product Dimension with Stand (WxDxH) (mm) 817.40 x 252.26 x 422.70 Product Dimension with Stand (WxDxH) (inch) 32.18 x 9.93 x 16.64 Product Dimension without Stand (WxDxH) Product Dimension without Stand (WxDxH) (mm) 817.40 x 65.24 x 374.20 Product Dimension without Stand (WxDxH) (inch) 32.18 x 2.57 x 14.73 Stand Dimension (WxDxH) Stand Dimension (WxDxH) (mm) 119.04 x 138.11 x 372.79 Stand Dimension (WxDxH) (inch) 4.69 x 5.44 x 14.68 Weight Weight (Net kg) 9.38 Weight (Net lbs) 20.68 Weight (Gross kg) 13.8 Weight (Gross lbs) 30.42 Weight Without Stand (kg) 7.95 Weight Without Stand (lbs) 17.53 Accessories DisplayPort Cable 1 HDMI Cable 1 DVI Cable 0 USB Type A to Type B Cable 1 USB Type C to Type A Cable 0 USB Type C to Type C Cable 1 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable N/A Power Cord 1 AC Adaptor 1 Quick Guide 1 Warranty Card 1 Mouse Bungee Unit 1 VESA Screw 4 Switch Case N/A Portable Screen Protection Case N/A Monitor Hood N/A Speaker (Accessories) N/A Model Info Series Name Gaming Segment Name MPG Segment Name2 MPG341Q Segment Name3 MPG341QR Barcode Info EAN 4719072779658

MSI Gaming monitor Optix MPG341QR, 34"/3440 x 1440 /IPS, 144Hz/1ms/1000:1/550cd / m2 /2xHDMI/DP/USB-C/USB MKT Name Optix MPG341QR Entity MKT Name MKT Spec Optix MPG341QR Website Name Optix

MPG341QR Color ID1/Black-Black Local Dimming NA Display Screen Size 34" (86.36 cm) Active Display Area (mm) 799.8 (H) x 334.8 (V) Curvature Flat Panel Type IPS Resolution 3440x1440 (UWQHD) Pixel pitch (mm) 0.2325(H)x0.2325(V) Aspect Ratio 21:9 Dynamic Refresh Rate technology G-SYNC Compatible Dynamic Refresh Rate Activated Range 48Hz-144Hz HDR (High dynamic range) HDR 400 SDR Brightness (nits) 550 HDR Brightness (Peak nits) 600 Contrast Ratio 1000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 72~216 KHz(H) / 48~144 Hz(V) Refresh Rate 144HZ Response Time (MPRT) 1ms(MPRT) Response Time (GTG) 4ms Response Time (Tr + Tf) 10ms View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap) 106.8% / 82.5% NTSC (CIE1931 area percentage/overlap) 83.8% /75.8% sRGB (CIE1976 area percentage/overlap) 122.5% /99.4% sRGB (CIE1931 area percentage/overlap) 118.3%/99.8% Adobe RGB (CIE1976 area percentage/overlap) 105% /88.2% Adobe RGB (CIE1931 area percentage/overlap) 87.7% /80.8% DCI-P3 (CIE1976 area percentage/overlap) 97.6%/91.5% DCI-P3 (CIE1931 area percentage/overlap) 87.2%/85.4% Rec.709 (CIE1976 area percentage/overlap) 122.5%/99.4% Rec.709 (CIE1931 area percentage/overlap) 118.3%/99.8% Rec.2020 (CIE1976 area percentage/overlap) N/A Rec.2020 (CIE1931 area percentage/overlap) N/A Quantum Dot N/A Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 1.07B Color bit 10 bits (8 bits + FRC) Note\_DP 3440 x1440 (Up to 144Hz) Note\_HDMI 3440 x 1440 (Up to 100Hz) Note\_DVI N/A I/O Ports HDMI 2 HDMI version 2.0 HDMI HDCP version 2.3 DisplayPort 1 DisplayPort version 1.4 DisplayPort HDCP version 2.3 Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) 1 DVI NA D-Sub NA Line-in N/A Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A 2 USB 2.0 Type B 1 USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader N/A Lock type Kensington Lock Speaker NA Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adapter 20V 6A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 40 Annual Energy Consumption (KWh) 40 Standby-mode Power Consumption (W) 0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating G Adapter's KC safety Number N/A Power Cord Type C5 QC Output NA QC Output Power NA PD Output NA PD Output Power NA Warranty Warranty 36M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) -30° ~ 30° Adjustment (Height) 0 ~ 100 mm Adjustment (Pivot) NA VESA Mounting 100x100mm Frameless Design Yes Pallet pcs/ Carton pallet Q'ty (by air) pcs 12 Q'ty/20cy (by air) pcs 120 Q'ty/40cy (by air) pcs 252 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 125 Net Weight (by air) kg 21.24 Gross Weight (by air) kg 177.24 pallet Q'ty (by sea) pcs 18 Q'ty/20cy (by sea) pcs 180 Q'ty/40cy (by sea) pcs 378 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 125 Net Weight (by sea) kg 21.24 Gross Weight (by sea) kg 177.24 Inside Carton Dimension (WxDxH) Inside Carton Dimension (WxDxH) (mm) 947 x 181 x 640 Inside Carton Dimension (WxDxH) (inch) 37.28 x 7.13 x 25.2 Outer Carton Dimension (WxDxH) Outer Carton Dimension (WxDxH) (mm) 962 x 196 x 665 Outer Carton Dimension (WxDxH) (inch) 37.87 x 7.72 x 26.18 Product Dimension with Stand (WxDxH) Product Dimension with Stand (WxDxH) (mm) 817.40 x 252.26 x 422.70 Product Dimension with Stand (WxDxH) (inch) 32.18 x 9.93 x 16.64 Product Dimension without Stand (WxDxH) Product Dimension without Stand (WxDxH) (mm) 817.40 x

65.24 x 374.20 Product Dimension without Stand (WxDxH) (inch) 32.18 x 2.57 x 14.73 Stand Dimension (WxDxH) Stand Dimension (WxDxH) (mm) 119.04 x 138.11 x 372.79 Stand Dimension (WxDxH) (inch) 4.69 x 5.44 x 14.68 Weight Weight (Net kg) 9.38 Weight (Net lbs) 20.68 Weight (Gross kg) 13.8 Weight (Gross lbs) 30.42 Weight Without Stand (kg) 7.95 Weight Without Stand (lbs) 17.53 Accessories DisplayPort Cable 1 HDMI Cable 1 DVI Cable 0 USB Type A to Type B Cable 1 USB Type C to Type A Cable 0 USB Type C to Type C Cable 1 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable N/A Power Cord 1 AC Adaptor 1 Quick Guide 1 Warranty Card 1 Mouse Bungee Unit 1 VESA Screw 4 Switch Case N/A Portable Screen Protection Case N/A Monitor Hood N/A Speaker (Accessories) N/A Model Info Series Name Gaming Segment Name MPG Segment Name2 MPG341Q Segment Name3 MPG341QR Barcode Info EAN 4719072779658