

# CHIEFTEC AS-01B-OP ATX / 2x USB 3.0 / 1x USB 2.0 / 120mm fan / černý

**cena vč DPH:** **1313 Kč**

**cena bez DPH:** 1085 Kč

**Kód zboží (ID):** 5497148

**PN:** AS-01B-OP

**Záruka:** 24 měsíců



AS-01B-OP

- Elegant & modern design
- Optimal cooling compatibility
- Support 280mm radiator
- 1x 120mm PWM fan pre-installed

## TECHNICAL SPECIFICATIONS

**Color** Black **Material** 0.5mm SPCC **Motherboard support** Mini ITX, mATX, ATX  
**Dimension (D x W x H)** 405 x 212 x 462mm **Weight (without/with package)**  
4.29kg / 5.1kg **Drive bay external - Drive bay internal** 2 x 3,5" and 2x 2,5"  
**Power supply** ATX PSU (optional, ~180mm) **Front I/O** 2x USB3.2 Gen 1, 1x  
USB2.0, Audio-out (AZALIA / HD-Audio), Mic-In **Scope of delivery** Set of screws  
Rear: 1x 120mm PWM fan pre-installed **Expansion slots** 7 **Cooling Compatibility**  
Front: 3x 120mm or 2x 140mm fans or 280mm radiator Rear: 1x 120mm Top: 2x  
120mm or 2x 140mm fans **CPU cooler height (max.)** 170mm **VGA card length  
(max.)** 320mm **Warranty** 24 Months

<h2>AS-01B-OP</h2>

<ul>

<li>Elegant & modern design</li>

<li>Optimal cooling compatibility</li>

```

<li>Support 280mm radiator</li>
<li>1x 120mm PWM fan pre-installed</li>
</ul>
<p>TECHNICAL SPECIFICATIONS</p>
<table dir="ltr" border="1" cellpadding="2" style="width: 800px; border-spacing:
0px;">
<tbody>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height:
19px;"><strong>Color</strong></td>
<td style="width: 74%; height: 19px;">Black</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height:
19px;"><strong>Material</strong></td>
<td style="width: 74%; height: 19px;">0.5mm SPCC</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height:
19px;"><strong>Motheboard support</strong></td>
<td style="width: 74%; height: 19px;">Mini ITX, mATX, ATX</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height:
19px;"><strong>Dimension (D x W x H)</strong></td>
<td style="width: 74%; height: 19px;">405 x 212 x 462mm</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>Weight
(without/with package)</strong></td>
<td style="width: 74%; height: 19px;">4.29kg / 5.1kg</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>Drive
bay external</strong></td>
<td style="width: 74%; height: 19px;">-</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>Drive
bay internal</strong></td>
<td style="width: 74%; height: 19px;">2 x 3,5" and 2x 2,5"</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>Power
supply</strong></td>
<td style="width: 74%; height: 19px;">ATX PSU (optional, ~180mm)</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>Front

```

```

I/O</strong></td>
<td style="width: 74%; height: 19px;">2x USB3.2 Gen 1, 1x USB2.0, Audio-out
(AZALIA / HD-Audio), Mic-In</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>Scope
of delivery</strong></td>
<td style="width: 74%; height: 19px;">Set of screws
Rear: 1x 120mm PWM fan pre-installed</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height:
19px;"><strong>Expansion slots</strong></td>
<td style="width: 74%; height: 19px;">7</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height:
19px;"><strong>Cooling Compatibility</strong></td>
<td style="width: 74%; height: 19px;">Front: 3x 120mm or 2x 140mm fans or
280mm radiator
Rear: 1x 120mm
Top: 2x 120mm or 2x 140mm fans</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>CPU
cooler height (max.)</strong></td>
<td style="width: 74%; height: 19px;">170mm</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height: 19px;"><strong>VGA
card length (max.)</strong></td>
<td style="width: 74%; height: 19px;">320mm</td>
</tr>
<tr>
<td style="width: 30%; height: 19px; width: 74%; height:
19px;"><strong>Warranty</strong></td>
<td style="width: 74%; height: 19px;">24 Months</td>
</tr>
</tbody>
</table>

```