

MSI Gaming monitor G321CUV, 31,5" zakřivený /3840x2160 (UHD)/VA LED/4ms/3000:1/250cd / m2 /2xHDMI/DP

cena vč DPH: **10900 Kč**

cena bez DPH: 9008 Kč

Kód zboží (ID): 5505860

PN: G321CUV

Záruka: 24 měsíců



MSI Gaming monitor G321CUV, 31,5" zakřivený /3840x2160 (UHD)/VA
LED/4ms/3000:1/250cd / m2 /2xHDMI/DP MKT Name G321CUV Entity MKT Name
MKT Spec G321CUV Website Name G321CUV Color ID1/Black-Black Local Dimming
NA Display Screen Size 31.5" (80 cm) Active Display Area (mm)
697.306(H)X392.234(V) Curvature Curve 1500R Panel Type VA Resolution
3840x2160 (UHD) Pixel pitch (mm) 0.18159(H)x0.18159(V) Aspect Ratio 16:9
Dynamic Refresh Rate technology Adaptive-Sync Dynamic Refresh Rate Activated
Range 48-60Hz HDR (High dynamic range) HDR ready SDR Brightness (nits) 250
HDR Brightness (Peak nits) NA Contrast Ratio 3000:1 DCR (Dynamic Contrast Ratio)
100000000:1 Signal Frequency 104.9~132 KHz(H) / 48~60 Hz(V) Refresh Rate 60Hz
Response Time (MPRT) NA Response Time (GTG) 4ms Response Time (Tr + Tf)
13.04 View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap)
84%/75% NTSC (CIE1931 area percentage/overlap) 69%/67% sRGB (CIE1976 area
percentage/overlap) 97%/93% sRGB (CIE1931 area percentage/overlap) 98%/91%
Adobe RGB (CIE1976 area percentage/overlap) 83%/80% Adobe RGB (CIE1931 area
percentage/overlap) 73%/70% DCI-P3 (CIE1976 area percentage/overlap) 77%/77%
DCI-P3 (CIE1931 area percentage/overlap) 72%/72% Rec.709 (CIE1976 area
percentage/overlap) 97%/93% Rec.709 (CIE1931 area percentage/overlap)
98%/91% Rec.2020 (CIE1976 area percentage/overlap) 56%/56% Rec.2020
(CIE1931 area percentage/overlap) 52%/52% Quantum Dot NA Surface Treatment
Anti-glare Touch Screen Non-touch Display Colors 1.07B Color bit 10 bits (8 bits +
FRC) Note_DP 3840 x2160 (Up to 60Hz) Note_HDMI 3840 x2160 (Up to 60Hz)
Note_DVI N/A I/O Ports HDMI 2 HDMI version 2.0b HDMI HDCP version 2.3
DisplayPort 1 DisplayPort version 1.2a DisplayPort HDCP version 2.3 Thunderbolt NA
Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort

Alternate) NA DVI NA D-Sub NA Line-in NA Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader NA Lock type Kensington Lock Speaker NA Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 19V 3.42A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 35.5 Annual Energy Consumption (KWh) N/A Standby-mode Power Consumption (W) 0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating G Adapter's KC safety Number HU10182-11075 Power Cord Type C5 QC Output NA QC Output Power N/A PD Output NA PD Output Power N/A Warranty Warranty 36M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) NA Adjustment (Height) NA Adjustment (Pivot) NA VESA Mounting 100x100mm Frameless Design Yes Carton Carton Item (SG14) SG14-M1S111A-MNT pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 18 Q'ty/20cy (by air) pcs 180 Q'ty/40cy (by air) pcs 378 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1499 Net Weight (by air) kg 156.24 Gross Weight (by air) kg 171.24 pallet Q'ty (by sea) pcs 28 Q'ty/20cy (by sea) pcs 280 Q'ty/40cy (by sea) pcs 588 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2189 Net Weight (by sea) kg 243.04 Gross Weight (by sea) kg 258.04 Dimension & Weight (product) Product Dimension with Stand (WxDxH) (mm) 710.5 x 249.2 x 528.2 Product Dimension with Stand (WxDxH) (inch) 27.97 x 9.81 x 20.8 Product Dimension without Stand (WxDxH) (mm) 710.5 x 96.8 x 423.2 Product Dimension without Stand (WxDxH) (inch) 27.97 x 3.81 x 16.66 Stand Dimension (WxDxH) (mm) 519.9 x 249.2 x 280 Stand Dimension (WxDxH) (inch) 20.47 x 9.81 x 11.02 Weight (Net kg) 5.9 Weight (Net lbs) 13.01 Weight Without Stand (kg) 5 Weight Without Stand (lbs) 11.02 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm) 16.4 x 94.7 x 51 Inside Carton Dimension (WxDxH) (inch) 6.46 x 37.28 x 20.08 Outer Carton Dimension (WxDxH) (cm) 968 x 178 x 530 Outer Carton Dimension (WxDxH) (inch) 7.01 x 38.11 x 20.87 Weight (Gross kg) 8.68 Weight (Gross lbs) 19.14 Accessories DisplayPort Cable 0 HDMI Cable 1 DVI Cable 0 USB Type A to Type B Cable 0 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable 0 Power Cord 1 AC Adaptor 1 Quick Guide 1 Warranty Card 0 Mouse Bungee Unit 0 VESA Screw 4 Switch Case 0 Portable Screen Protection Case 0 Monitor Hood 0 Speaker (Accessories) 0 Model Info Series Name Gaming Segment Name AG Segment Name2 G321CU Segment Name3 G321CUV Barcode Info EAN 4719072955397

MSI Gaming monitor G321CUV, 31,5" zakřivený /3840x2160 (UHD)/VA LED/4ms/3000:1/250cd / m2 /2xHDMI/DP MKT Name G321CUV Entity MKT Name MKT Spec G321CUV Website Name G321CUV Color ID1/Black-Black Local Dimming NA Display Screen Size 31.5" (80 cm) Active Display Area (mm) 697.306(H)x392.234(V) Curvature Curve 1500R Panel Type VA Resolution 3840x2160 (UHD) Pixel pitch (mm) 0.18159(H)x0.18159(V) Aspect Ratio 16:9 Dynamic Refresh Rate technology Adaptive-Sync Dynamic Refresh Rate Activated

Range 48-60Hz HDR (High dynamic range) HDR ready SDR Brightness (nits) 250 HDR Brightness (Peak nits) NA Contrast Ratio 3000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 104.9~132 KHz(H) / 48~60 Hz(V) Refresh Rate 60Hz Response Time (MPRT) NA Response Time (GTG) 4ms Response Time (Tr + Tf) 13.04 View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap) 84%/75% NTSC (CIE1931 area percentage/overlap) 69%/67% sRGB (CIE1976 area percentage/overlap) 97%/93% sRGB (CIE1931 area percentage/overlap) 98%/91% Adobe RGB (CIE1976 area percentage/overlap) 83%/80% Adobe RGB (CIE1931 area percentage/overlap) 73%/70% DCI-P3 (CIE1976 area percentage/overlap) 77%/77% DCI-P3 (CIE1931 area percentage/overlap) 72%/72% Rec.709 (CIE1976 area percentage/overlap) 97%/93% Rec.709 (CIE1931 area percentage/overlap) 98%/91% Rec.2020 (CIE1976 area percentage/overlap) 56%/56% Rec.2020 (CIE1931 area percentage/overlap) 52%/52% Quantum Dot NA Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 1.07B Color bit 10 bits (8 bits + FRC) Note_DP 3840 x2160 (Up to 60Hz) Note_HDMI 3840 x2160 (Up to 60Hz) Note_DVI N/A I/O Ports HDMI 2 HDMI version 2.0b HDMI HDCP version 2.3 DisplayPort 1 DisplayPort version 1.2a DisplayPort HDCP version 2.3 Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) NA DVI NA D-Sub NA Line-in NA Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader NA Lock type Kensington Lock Speaker NA Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 19V 3.42A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 35.5 Annual Energy Consumption (KWh) N/A Standby-mode Power Consumption (W) 0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating G Adapter's KC safety Number HU10182-11075 Power Cord Type C5 QC Output NA QC Output Power N/A PD Output NA PD Output Power N/A Warranty Warranty 36M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) NA Adjustment (Height) NA Adjustment (Pivot) NA VESA Mounting 100x100mm Frameless Design Yes Carton Carton Item (SG14) SG14-M1S111A-MNT pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 18 Q'ty/20cy (by air) pcs 180 Q'ty/40cy (by air) pcs 378 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1499 Net Weight (by air) kg 156.24 Gross Weight (by air) kg 171.24 pallet Q'ty (by sea) pcs 28 Q'ty/20cy (by sea) pcs 280 Q'ty/40cy (by sea) pcs 588 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2189 Net Weight (by sea) kg 243.04 Gross Weight (by sea) kg 258.04 Dimension & Weight (product) Product Dimension with Stand (WxDxH) (mm) 710.5 x 249.2 x 528.2 Product Dimension with Stand (WxDxH) (inch) 27.97 x 9.81 x 20.8 Product Dimension without Stand (WxDxH) (mm) 710.5 x 96.8 x 423.2 Product Dimension without Stand (WxDxH) (inch) 27.97 x 3.81 x 16.66 Stand Dimension (WxDxH) (mm) 519.9 x 249.2 x 280 Stand Dimension (WxDxH) (inch) 20.47 x 9.81 x 11.02 Weight (Net kg) 5.9 Weight (Net lbs) 13.01 Weight Without Stand (kg) 5 Weight Without Stand (lbs) 11.02 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm) 16.4 x 94.7 x 51 Inside Carton Dimension (WxDxH) (inch) 6.46 x 37.28 x 20.08 Outer Carton Dimension (WxDxH) (cm) 968 x 178 x 530 Outer Carton Dimension (WxDxH) (inch) 7.01 x 38.11 x 20.87 Weight (Gross kg) 8.68 Weight (Gross lbs) 19.14 Accessories DisplayPort Cable 0 HDMI

Cable 1 DVI Cable 0 USB Type A to Type B Cable 0 USB Type C to Type A Cable 0
USB Type C to Type C Cable 0 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio
Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable 0 Power Cord 1 AC Adaptor
1 Quick Guide 1 Warranty Card 0 Mouse Bungee Unit 0 VESA Screw 4 Switch Case
0 Portable Screen Protection Case 0 Monitor Hood 0 Speaker (Accessories) 0 Model
Info Series Name Gaming Segment Name AG Segment Name2 G321CU Segment
Name3 G321CUV Barcode Info EAN 4719072955397