

MSI monitor Modern MD272QP Ultramarine, 27"/2560 x 1440 (WQHD)/IPS/4ms/1000:1/300cd / m2/HDMI/DP/USB/USB-C

cena vč DPH: **8321 Kč**

cena bez DPH: 6877 Kč

Kód zboží (ID): 5505864

PN: MODERN-MD272QP-
ULTRAMARINE

Záruka: 24 měsíců



MSI monitor Modern MD272QP Ultramarine, 27"/2560 x 1440 (WQHD)/IPS/4ms/1000:1/300cd / m2/HDMI/DP/USB/USB-C
MKT Name Modern MD272QP Ultramarine Entity MKT Name Modern MD272QP Ultramarine MKT Spec Modern MD272QP Ultramarine Website Name Modern MD272QP Ultramarine Color ID1/Ultramarine-Ultramarine Local Dimming NA Display Screen Size 27" (69 cm) Active Display Area (mm) 596.736(H)x335.664(V) Curvature Flat Panel Type IPS Resolution 2560x1440 (WQHD) Pixel pitch (mm) 0.2331(H)x0.2331(V) Aspect Ratio 16:09 Dynamic Refresh Rate technology FreeSync Dynamic Refresh Rate Activated Range 48~75Hz HDR (High dynamic range) N/A SDR Brightness (nits) 300 HDR Brightness (Peak nits) NA Contrast Ratio 1000:01:00 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 30~112 KHz(H) / 48~75 Hz(V) Refresh Rate 75Hz Response Time (MPRT) NA Response Time (GTG) 4ms Response Time (Tr + Tf) 14ms View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap) 80%/72% NTSC (CIE1931 area percentage/overlap) 72%/68% sRGB (CIE1976 area percentage/overlap) 95%/90% sRGB (CIE1931 area percentage/overlap) 100%/90% Adobe RGB (CIE1976 area percentage/overlap) 80%/78% Adobe RGB (CIE1931 area percentage/overlap) 73%/70% DCI-P3 (CIE1976 area percentage/overlap) 73%/73% DCI-P3 (CIE1931 area percentage/overlap) 73%/72% Rec.709 (CIE1976 area percentage/overlap) 95%/90% Rec.709 (CIE1931 area percentage/overlap) 100%/90% Rec.2020 (CIE1976 area percentage/overlap) 52%/52% Rec.2020 (CIE1931 area percentage/overlap) 50%/50% Quantum Dot NA Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 16.7M Color bit 8 bits Note_DP 2560 x 1440 (Up to 75Hz) Note_HDMI 2560 x 1440 (Up to 75Hz) Note_DVI N/A I/O

Ports HDMI 1 HDMI version 1.4b HDMI HDCP version 1,4 DisplayPort 1 DisplayPort version 1,2 DisplayPort HDCP version 1,3 Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) 1 DVI NA D-Sub NA Line-in NA Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A 2 USB 2.0 Type B 1 USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader NA Lock type Kensington Lock Speaker 2 Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 19V 5.79A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 26W Annual Energy Consumption (KWh) 26W Standby-mode Power Consumption (W) 0.5W Off-mode Power Consumption (W) 0.3W Energy Efficiency Rating F Adapter's KC safety Number HU10450-13034D Power Cord Type C5 QC Output NA QC Output Power N/A PD Output NA PD Output Power 65W Warranty Warranty 36M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) -30° ~ 30° Adjustment (Height) 0 ~ 110 mm Adjustment (Pivot) -90° ~ 90° VESA Mounting 75x75mm Frameless Design Yes Carton Carton Item (SG14) SG14-M1S022A-MNT pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 18 Q'ty/20cy (by air) pcs 180 Q'ty/40cy (by air) pcs 378 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1406 Net Weight (by air) kg 105,3 Gross Weight (by air) kg 170,8 pallet Q'ty (by sea) pcs 30 Q'ty/20cy (by sea) pcs 300 Q'ty/40cy (by sea) pcs 630 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2157 Net Weight (by sea) kg 175,5 Gross Weight (by sea) kg 268 Dimension & Weight (product) Product Dimension with Stand (WxDxH) (mm) 613.5 x 200.81 x 401.5 Product Dimension with Stand (WxDxH) (inch) 24.15 x 7.91 x 15.81 Product Dimension without Stand (WxDxH) (mm) 613.5 x 72 x 362.5 Product Dimension without Stand (WxDxH) (inch) 24.15 x 2.83 x 14.27 Stand Dimension (WxDxH) (mm) 230.81 x 200.81 x 370.8 Stand Dimension (WxDxH) (inch) 9.09 x 7.91 x 14.6 Weight (Net kg) 5,85 Weight (Net lbs) 12,9 Weight Without Stand (kg) 3,95 Weight Without Stand (lbs) 8,71 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm) 16.7 x 89.3 x 46.4 Inside Carton Dimension (WxDxH) (inch) 6.57 x 35.16 x 18.27 Outer Carton Dimension (WxDxH) (cm) 907 x 181 x 492 Outer Carton Dimension (WxDxH) (inch) 7.13 x 35.71 x 19.37 Weight (Gross kg) 8,1 Weight (Gross lbs) 17,86 Accessories DisplayPort Cable 0 HDMI Cable 1 DVI Cable 0 USB Type A to Type B Cable 1 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable 0 Power Cord 1 AC Adaptor 1 Quick Guide 1 Warranty Card 0 Mouse Bungee Unit 0 VESA Screw 4 Switch Case 0 Portable Screen Protection Case 0 Monitor Hood 0 Speaker (Accessories) 0 Model Info Series Name Pro Segment Name Modern Segment Name2 MD272Q Segment Name3 MD272QP Ultramarine EAN: 4719072984113

MSI monitor Modern MD272QP Ultramarine, 27"/2560 x 1440 (WQHD)/IPS/4ms/1000:1/300cd / m2/HDMI/DP/USB/USB-C MKT Name Modern MD272QP Ultramarine Entity MKT Name Modern MD272QP Ultramarine MKT Spec Modern MD272QP Ultramarine Website Name Modern MD272QP Ultramarine Color

ID1/Ultramarine-Ultramarine Local Dimming NA Display Screen Size 27" (69 cm)
Active Display Area (mm) 596.736(H)x335.664(V) Curvature Flat Panel Type IPS
Resolution 2560x1440 (WQHD) Pixel pitch (mm) 0.2331(H)x0.2331(V) Aspect Ratio
16:09 Dynamic Refresh Rate technology FreeSync Dynamic Refresh Rate Activated
Range 48~75Hz HDR (High dynamic range) N/A SDR Brightness (nits) 300 HDR
Brightness (Peak nits) NA Contrast Ratio 1000:01:00 DCR (Dynamic Contrast Ratio)
100000000:1 Signal Frequency 30~112 KHz(H) / 48~75 Hz(V) Refresh Rate 75Hz
Response Time (MPRT) NA Response Time (GTG) 4ms Response Time (Tr + Tf)
14ms View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap)
80%/72% NTSC (CIE1931 area percentage/overlap) 72%/68% sRGB (CIE1976 area
percentage/overlap) 95%/90% sRGB (CIE1931 area percentage/overlap) 100%/90%
Adobe RGB (CIE1976 area percentage/overlap) 80%/78% Adobe RGB (CIE1931
area percentage/overlap) 73%/70% DCI-P3 (CIE1976 area percentage/overlap)
73%/73% DCI-P3 (CIE1931 area percentage/overlap) 73%/72% Rec.709 (CIE1976
area percentage/overlap) 95%/90% Rec.709 (CIE1931 area percentage/overlap)
100%/90% Rec.2020 (CIE1976 area percentage/overlap) 52%/52% Rec.2020
(CIE1931 area percentage/overlap) 50%/50% Quantum Dot NA Surface Treatment
Anti-glare Touch Screen Non-touch Display Colors 16.7M Color bit 8 bits Note_DP
2560 x 1440 (Up to 75Hz) Note_HDMI 2560 x 1440 (Up to 75Hz) Note_DVI N/A I/O
Ports HDMI 1 HDMI version 1.4b HDMI HDCP version 1,4 DisplayPort 1 DisplayPort
version 1,2 DisplayPort HDCP version 1,3 Thunderbolt NA Thunderbolt version NA
Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) 1 DVI NA D-Sub
NA Line-in NA Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA
USB 2.0 Type A 2 USB 2.0 Type B 1 USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA
USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA
USB 3.2 Gen 2x2 Type A NA Card reader NA Lock type Kensington Lock Speaker 2
Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External
Adaptor 19V 5.79A Power Input 100~240V, 50/60Hz On-mode Power Consumption
(KWh/1000h) 26W Annual Energy Consumption (KWh) 26W Standby-mode Power
Consumption (W) 0.5W Off-mode Power Consumption (W) 0.3W Energy Efficiency
Rating F Adapter's KC safety Number HU10450-13034D Power Cord Type C5 QC
Output NA QC Output Power N/A PD Output NA PD Output Power 65W Warranty
Warranty 36M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) -30° ~ 30°
Adjustment (Height) 0 ~ 110 mm Adjustment (Pivot) -90° ~ 90° VESA Mounting
75x75mm Frameless Design Yes Carton Carton Item (SG14) SG14-M1S022A-MNT
pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 18 Q'ty/20cy (by air) pcs 180 Q'ty/40cy
(by air) pcs 378 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000
Dimension (H)(by air) mm 1406 Net Weight (by air) kg 105,3 Gross Weight (by air)
kg 170,8 pallet Q'ty (by sea) pcs 30 Q'ty/20cy (by sea) pcs 300 Q'ty/40cy (by sea)
pcs 630 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000
Dimension (H)(by sea) mm 2157 Net Weight (by sea) kg 175,5 Gross Weight (by
sea) kg 268 Dimension & Weight (product) Product Dimension with Stand
(WxDxH) (mm) 613.5 x 200.81 x 401.5 Product Dimension with Stand (WxDxH)
(inch) 24.15 x 7.91 x 15.81 Product Dimension without Stand (WxDxH) (mm) 613.5
x 72 x 362.5 Product Dimension without Stand (WxDxH) (inch) 24.15 x 2.83 x
14.27 Stand Dimension (WxDxH) (mm) 230.81 x 200.81 x 370.8 Stand Dimension
(WxDxH) (inch) 9.09 x 7.91 x 14.6 Weight (Net kg) 5,85 Weight (Net lbs) 12,9
Weight Without Stand (kg) 3,95 Weight Without Stand (lbs) 8,71 Dimension &
Weight (box) Inside Carton Dimension (WxDxH) (cm) 16.7 x 89.3 x 46.4 Inside

Carton Dimension (WxDxH) (inch) 6.57 x 35.16 x 18.27 Outer Carton Dimension (WxDxH) (cm) 907 x 181 x 492 Outer Carton Dimension (WxDxH) (inch) 7.13 x 35.71 x 19.37 Weight (Gross kg) 8,1 Weight (Gross lbs) 17,86 Accessories
DisplayPort Cable 0 HDMI Cable 1 DVI Cable 0 USB Type A to Type B Cable 1 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable 0 Power Cord 1 AC Adaptor 1 Quick Guide 1 Warranty Card 0 Mouse Bungee Unit 0 VESA Screw 4 Switch Case 0 Portable Screen Protection Case 0 Monitor Hood 0 Speaker (Accessories) 0 Model Info Series Name Pro Segment Name Modern Segment Name2 MD272Q Segment Name3 MD272QP Ultramarine EAN: 4719072984113