

# MSI Gaming monitor G274QPF QD, 27"/2560x1440 (WQHD)/ Rapid IPS, 170Hz/1ms/1000:1/400cd / m2/2x HDMI/DP/USB-C

**cena vč DPH:** **11107 Kč**

**cena bez DPH:** 9180 Kč

**Kód zboží (ID):** 5554288

**PN:** G274QPF-QD

**Záruka:** 24 měsíců



MSI Gaming monitor G274QPF QD, 27"/2560x1440 (WQHD)/ Rapid IPS, 170Hz/1ms/1000:1/400cd / m2/2x HDMI/DP/USB-C MKT Spec G274QPF QD Website Name G274QPF-QD Color ID1/Black-Black Local Dimming NA Display Screen Size 27" (69 cm) Active Display Area (mm) 597.6(H)x336.15(V) Curvature Flat Panel Type Rapid IPS Resolution 2560x1440 (WQHD) Pixel pitch (mm) 0.2331(H)x0.2331(V) Aspect Ratio 16:9 Dynamic Refresh Rate technology G-SYNC Compatible Dynamic Refresh Rate Activated Range 48~170Hz HDR (High dynamic range) DisplayHDR 400 SDR Brightness (nits) 300 HDR Brightness (Peak nits) 400 Contrast Ratio 1000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 90.9~242 KHz(H) / 48~175 Hz(V) Refresh Rate 170Hz Response Time (MPRT) 1ms(MPRT) Response Time (GTG) 1ms Response Time (Tr + Tf) 5ms View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap) 135%/90% NTSC (CIE1931 area percentage/overlap) 105%/90% sRGB (CIE1976 area percentage/overlap) 150%/99% sRGB (CIE1931 area percentage/overlap) 150%/99% Adobe RGB (CIE1976 area percentage/overlap) 130%/93% Adobe RGB (CIE1931 area percentage/overlap) 110%/90% DCI-P3 (CIE1976 area percentage/overlap) 120%/95% DCI-P3 (CIE1931 area percentage/overlap) 110%/95% Rec.709 (CIE1976 area percentage/overlap) 150%/99% Rec.709 (CIE1931 area percentage/overlap) 150%/99% Rec.2020 (CIE1976 area percentage/overlap) 85%/80% Rec.2020 (CIE1931 area percentage/overlap) 75%/75% Quantum Dot YES Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 1.07B Color bit 10 bits (8 bits + FRC) Note\_DP 2560 x 1440 (Up to 170Hz) Note\_HDMI 2560x1440 (Up to 144Hz) Note\_DVI N/A I/O Ports HDMI 2 HDMI

version 2.0b HDMI HDCP version 2.2 DisplayPort 1 DisplayPort version 1.4  
DisplayPort HDCP version 2.2 Thunderbolt NA Thunderbolt version NA Thunderbolt  
HDCP version NA USB Type C (DisplayPort Alternate) NA DVI NA D-Sub NA Line-in  
NA Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A  
NA USB 2.0 Type B NA USB 2.0 Type C 1 USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1  
Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2  
Type A NA Card reader N/A Lock type Kensington Lock Speaker NA Webcam NA  
Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 19V  
3.42A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h)  
26 Annual Energy Consumption (KWh) 26 Standby-mode Power Consumption (W)  
0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating F Adapter's KC  
safety Number HU10450-17082D Power Cord Type C13 QC Output NA QC Output  
Power N/A PD Output NA PD Output Power N/A Warranty Warranty 36M Design  
Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) -45° ~ 45° Adjustment (Height) 0 ~  
130 mm Adjustment (Pivot) -90° ~ 90° VESA Mounting 75x75mm Frameless Design  
NA Carton Carton Item (SG14) SG14-M1S114A-MNT pcs/Carton 1 Pallet pallet Q'ty  
(by air) pcs 22 Q'ty/20cy (by air) pcs 220 Q'ty/40cy (by air) pcs 462 Dimension  
(L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm  
1449 Net Weight (by air) kg 131 Gross Weight (by air) kg 197 pallet Q'ty (by sea)  
pcs 36 Q'ty/20cy (by sea) pcs 360 Q'ty/40cy (by sea) pcs 756 Dimension (L)(by sea)  
mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2163 Net  
Weight (by sea) kg 214 Gross Weight (by sea) kg 310 Dimension & Weight (product)  
Product Dimension with Stand (WxDxH) (mm) 613.49 x 196.48 x 402.08 Product  
Dimension with Stand (WxDxH) (inch) 24.15 x 7.74 x 15.83 Product Dimension  
without Stand (WxDxH) (mm) 613.49 x 69.74 x 362.46 Product Dimension without  
Stand (WxDxH) (inch) 24.15 x 2.75 x 14.27 Stand Dimension (WxDxH) (mm) 242.2 x  
196.48 x 399.19 Stand Dimension (WxDxH) (inch) 9.54 x 7.74 x 15.72 Weight (Net  
kg) 6.05 Weight (Net lbs) 13.34 Weight Without Stand (kg) 4.05 Weight Without  
Stand (lbs) 8.93 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm)  
81.5 x 14.5 x 50.2 Inside Carton Dimension (WxDxH) (inch) 32.09 x 5.71 x 19.76  
Outer Carton Dimension (WxDxH) (cm) 83 x 15.8 x 52.6 Outer Carton Dimension  
(WxDxH) (inch) 32.68 x 6.22 x 20.71 Weight (Gross kg) 8 Weight (Gross lbs) 17.64  
Accessories DisplayPort Cable 1 HDMI Cable 0 DVI Cable 0 USB Type A to Type B  
Cable 0 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0 Thunderbolt  
Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic  
Cable 0 Power Cord 1 AC Adaptor 1 Quick Guide 1 Warranty Card 0 Mouse Bungee  
Unit 0 VESA Screw 4 Switch Case 0 Portable Screen Protection Case 0 Monitor Hood  
0 Speaker (Accessories) 0 Model Info Series Name Gaming Segment Name AG  
Segment Name2 G274QPF Segment Name3 G274QPF QD Barcode Info EAN  
4719072983208

MSI Gaming monitor G274QPF QD, 27"/2560x1440 (WQHD)/ Rapid IPS,  
170Hz/1ms/1000:1/400cd / m2/2x HDMI/DP/USB-C MKT Spec G274QPF QD Website  
Name G274QPF-QD Color ID1/Black-Black Local Dimming NA Display Screen Size  
27" (69 cm) Active Display Area (mm) 597.6(H)x336.15(V) Curvature Flat Panel

Type Rapid IPS Resolution 2560x1440 (WQHD) Pixel pitch (mm) 0.2331(H)x0.2331(V) Aspect Ratio 16:9 Dynamic Refresh Rate technology G-SYNC Compatible Dynamic Refresh Rate Activated Range 48~170Hz HDR (High dynamic range) DisplayHDR 400 SDR Brightness (nits) 300 HDR Brightness (Peak nits) 400 Contrast Ratio 1000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 90.9~242 KHz(H) / 48~175 Hz(V) Refresh Rate 170Hz Response Time (MPRT) 1ms(MPRT) Response Time (GTG) 1ms Response Time (Tr + Tf) 5ms View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap) 135%/90% NTSC (CIE1931 area percentage/overlap) 105%/90% sRGB (CIE1976 area percentage/overlap) 150%/99% sRGB (CIE1931 area percentage/overlap) 150%/99% Adobe RGB (CIE1976 area percentage/overlap) 130%/93% Adobe RGB (CIE1931 area percentage/overlap) 110%/90% DCI-P3 (CIE1976 area percentage/overlap) 120%/95% DCI-P3 (CIE1931 area percentage/overlap) 110%/95% Rec.709 (CIE1976 area percentage/overlap) 150%/99% Rec.709 (CIE1931 area percentage/overlap) 150%/99% Rec.2020 (CIE1976 area percentage/overlap) 85%/80% Rec.2020 (CIE1931 area percentage/overlap) 75%/75% Quantum Dot YES Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 1.07B Color bit 10 bits (8 bits + FRC) Note\_DP 2560 x 1440 (Up to 170Hz) Note\_HDMI 2560x1440 (Up to 144Hz) Note\_DVI N/A I/O Ports HDMI 2 HDMI version 2.0b HDMI HDCP version 2.2 DisplayPort 1 DisplayPort version 1.4 DisplayPort HDCP version 2.2 Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) NA DVI NA D-Sub NA Line-in NA Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB 2.0 Type C 1 USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader N/A Lock type Kensington Lock Speaker NA Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 19V 3.42A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 26 Annual Energy Consumption (KWh) 26 Standby-mode Power Consumption (W) 0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating F Adapter's KC safety Number HU10450-17082D Power Cord Type C13 QC Output NA QC Output Power N/A PD Output NA PD Output Power N/A Warranty Warranty 36M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) -45° ~ 45° Adjustment (Height) 0 ~ 130 mm Adjustment (Pivot) -90° ~ 90° VESA Mounting 75x75mm Frameless Design NA Carton Carton Item (SG14) SG14-M1S114A-MNT pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 22 Q'ty/20cy (by air) pcs 220 Q'ty/40cy (by air) pcs 462 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1449 Net Weight (by air) kg 131 Gross Weight (by air) kg 197 pallet Q'ty (by sea) pcs 36 Q'ty/20cy (by sea) pcs 360 Q'ty/40cy (by sea) pcs 756 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2163 Net Weight (by sea) kg 214 Gross Weight (by sea) kg 310 Dimension & Weight (product) Product Dimension with Stand (WxDxH) (mm) 613.49 x 196.48 x 402.08 Product Dimension with Stand (WxDxH) (inch) 24.15 x 7.74 x 15.83 Product Dimension without Stand (WxDxH) (mm) 613.49 x 69.74 x 362.46 Product Dimension without Stand (WxDxH) (inch) 24.15 x 2.75 x 14.27 Stand Dimension (WxDxH) (mm) 242.2 x 196.48 x 399.19 Stand Dimension (WxDxH) (inch) 9.54 x 7.74 x 15.72 Weight (Net kg) 6.05 Weight (Net lbs) 13.34 Weight Without Stand (kg) 4.05 Weight Without Stand (lbs) 8.93 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm) 81.5 x 14.5 x 50.2 Inside Carton Dimension

(WxDxH) (inch) 32.09 x 5.71 x 19.76 Outer Carton Dimension (WxDxH) (cm) 83 x 15.8 x 52.6 Outer Carton Dimension (WxDxH) (inch) 32.68 x 6.22 x 20.71 Weight (Gross kg) 8 Weight (Gross lbs) 17.64 Accessories DisplayPort Cable 1 HDMI Cable 0 DVI Cable 0 USB Type A to Type B Cable 0 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable 0 Power Cord 1 AC Adaptor 1 Quick Guide 1 Warranty Card 0 Mouse Bungee Unit 0 VESA Screw 4 Switch Case 0 Portable Screen Protection Case 0 Monitor Hood 0 Speaker (Accessories) 0 Model Info Series Name Gaming Segment Name AG Segment Name2 G274QPF Segment Name3 G274QPF QD Barcode Info EAN 4719072983208