

DELL PowerEdge T550/ 8x3.5"/ 2x Xeon S4309Y/ 64GB/ 1x 480GB SSD/ H755/ iDRAC 9 Ent 15G/ 1x 1100W/ 3Y Basic on-site

cena vč DPH: **104865 Kč**

cena bez DPH: 86665 Kč

Kód zboží (ID): 5670372

PN: 1335681-3

Záruka: 36 měsíců



Technické parametre **Procesor** Dual Intel Xeon Silver 4309Y 2.8G, 8C/16T, 10.4GT/s, 12M Cache, Turbo, HT (105W) DDR4-2666 **Pamäť** 1x 2x 32GB RDIMM, 3200MT/s, Dual Rank, 16Gb BASE x8, FGA ONLY **Pevný disk** 1x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD **Chassis** 3.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU, V2 **Grafická karta - Riser** Riser Config0, No PCIe Riser **AIO Solution** Parallax Security Bezel, Two Layer Door **Optical Drive** No Internal Optical Drive, V2 **NIC** No OCP 3.0 mezzanine NIC card, Blank Filler Only **Raid Level** C7, Unconfigured RAID for HDDs or SSDs (Mixed Drive Types Allowed) **Controller** Front PERC H755 Front Load **DRAC** iDRAC9, Enterprise 15G **Napájanie** Single, Hot Plug, Non Redundant Power Supply (1+0), 1100W, Mixed Mode Titanium **Cable** European Power Cord 220V **Anti Virus** - **Farba** Black **Záruka** 3Y Basic Onsite

Slovenská republika:

DELL Technická podpora: +421 2 5750 83 03

DELL ProSupport hotline: +421 2 5750 69 81

Česká republika:

DELL Technická podpora: +420 225 772 711

DELL ProSupport Česká Republika: +420 225 772 969

Link na výrobcu: <https://www.dell.com/en-us/shop/servers-storage-and-networking/p>

<h2>Technické parametre</h2>

<table style="height: 680px; width: 97.5852%; border-collapse: collapse;"
border="1">

<tbody>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><span style="color:
#ffffff;">Procesor</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">Dual Intel Xeon Silver 4309Y 2.8G, 8C/16T, 10.4GT/s, 12M
Cache, Turbo, HT (105W) DDR4-2666</td>

</tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><span
style="color: #ffffff;">Pamäť</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">1x 2x 32GB RDIMM, 3200MT/s,
Dual Rank, 16Gb BASE x8, FGA ONLY</td>

</tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><span style="color:
#ffffff;">Pevný disk</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">1x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug
AG Drive,3.5in HYB CARR, 1 DWPD</td>

</tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><span
style="color: #ffffff;">Chassis</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">3.5" Chassis with up to 8 Hard
Drives (SAS/SATA), 2 CPU, V2</td>

</tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; text-align: center; height: 40px; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><span style="color:
#ffffff;">Grafická karta</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>

```

</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Riser</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">Riser Config0, No PCIe
Riser</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; text-align: center; height: 40px; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">AIO Solution</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">Parallax Security Bezel, Two Layer Door</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Optical Drive</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">No Internal Optical Drive,
V2</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; text-align: center; height: 40px; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">NIC</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">No OCP 3.0 mezzanine NIC card, Blank Filler Only</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Raid Level</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">C7, Unconfigured RAID for HDDs
or SSDs (Mixed Drive Types Allowed)</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; text-align: center; height: 40px; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Controller</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">Front PERC H755 Front Load</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span

```

```
style="color: #ffffff;">DRAC</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">iDRAC9, Enterprise 15G</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; text-align: center; height: 40px; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Napájanie</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">Single, Hot Plug, Non Redundant Power Supply (1+0), 1100W,
Mixed Mode Titanium</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Cable</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">European Power Cord
220V</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; text-align: center; height: 40px; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Anti Virus</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Farba</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">Black</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; text-align: center; height: 40px; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Záruka</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">3Y Basic Onsite</td>
</tr>
</tbody>
</table>
<div><strong><span style="font-size: 10pt;"><span style="font-family:
arial, helvetica, sans-serif;"><span style="font-family: arial, helvetica, sans-
serif;"><span style="font-size: 10pt;"><span style="font-family:
arial, helvetica, sans-serif;"><span style="font-family: arial, helvetica, sans-
serif;"><span style="font-size: 10pt;"><span style="font-family:
arial, helvetica, sans-serif;"><span style="font-family: arial, helvetica, sans-
```

serif;">Slovenská republika:</div>
<div>DELL Technická podpora: +421 2 5750 83 03</div>
<div>DELL ProSupport hotline: +421 2 5750 69 81</div>
<div>Česká republika:</div>
<div>DELL Technická podpora: +420 225 772 711</div>
<div>DELL ProSupport Česká Republika: +420 225 772 969</div>
<div>Link na výrobcu: https://www.dell.com/en-us/shop/servers-storage-and-networking/poweredge-t550-tower-server/spd/poweredge-t550/pe_t550_tm_vi_vp_sb?configurationid=a9b05e07-b660-412c-a852-e00b435b3404</div>