

# G272QPF 27 IPS 170Hz 16:9 1ms black MSI

**cena vč DPH:** **8241 Kč**

cena bez DPH: 6810 Kč

**Kód zboží (ID):** 5685638

**PN:** G272QPF

**Záruka:** 24 měsíců



MSI Gaming monitor G272QPF, 27"/2560x1440 (WQHD)/Rapid IPS, 170Hz/1ms/1000:1/300cd / m2/2x HDMI/DP MKT Spec G272QPF Website Name G272QPF Color ID1/Black-Black Local Dimming NA Display Screen Size 27" (69 cm) Active Display Area (mm) 596.736(H)x335.664(V) Curvature Flat Panel Type Rapid IPS Resolution 2560x1440 (WQHD) Pixel pitch (mm) 0.2331(H)x0.2331(V) Aspect Ratio 16:9 Dynamic Refresh Rate technology G-SYNC Compatible Dynamic Refresh Rate Activated Range 48 ~ 170Hz HDR (High dynamic range) HDR Ready SDR Brightness (nits) 300 HDR Brightness (Peak nits) NA Contrast Ratio 1000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 78.2~268.8 KHz(H) / 48~165 Hz(V) Refresh Rate 170Hz Response Time (MPRT) 1ms(MPRT) Response Time (GTG) 1ms Response Time (Tr + Tf) 5ms View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap) 104.82%/87.27% NTSC (CIE1931 area percentage/overlap) 90.44%/84.13% sRGB (CIE1976 area percentage/overlap) 120.22%/99.34% sRGB (CIE1931 area percentage/overlap) 127.69%/99.83% Adobe RGB (CIE1976 area percentage/overlap) 103.02%/91.18% Adobe RGB (CIE1931 area percentage/overlap) 94.64%/86.67% DCI-P3 (CIE1976 area percentage/overlap) 95.75%/92.83% DCI-P3 (CIE1931 area percentage/overlap) 94.13%/93.45% Rec.709 (CIE1976 area percentage/overlap) 120.22%/99.34% Rec.709 (CIE1931 area percentage/overlap) 127.69%/99.83% Rec.2020 (CIE1976 area percentage/overlap) 69.77%/69.50% Rec.2020 (CIE1931 area percentage/overlap) 67.53%/67.48% Quantum Dot NA Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 1.07B Color bit 10 bits (8 bits + FRC) Note\_DP 2560 x 1440 (Up to 170Hz) Note\_HDMI 2560 x 1440 (Up to 144Hz) Note\_DVI N/A I/O Ports HDMI 2 HDMI version 2.0b HDMI HDCP version 2.3 DisplayPort 1 DisplayPort version 1.2a DisplayPort HDCP version 2.3 Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) NA DVI NA D-Sub NA Line-in NA Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1

Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2  
Type A NA Card reader N/A Lock type Kensington Lock Speaker NA Webcam NA  
Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 20V  
2.25A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h)  
26 Annual Energy Consumption (KWh) 38 Standby-mode Power Consumption (W)  
0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating G Adapter's KC  
safety Number N/A Power Cord Type C5 Design Adjustment (Tilt) -5° ~ 20°  
Adjustment (Swivel) -45° ~ 45° Adjustment (Height) 0 ~ 130 mm Adjustment (Pivot)  
-90° ~ 90° VESA Mounting 100x100mm Frameless Design Yes Carton Carton Item  
(SG14) SG14-M1S034A-MNT pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 22 Q'ty/20cy  
(by air) pcs 220 Q'ty/40cy (by air) pcs 462 Dimension (L)(by air) mm 1200  
Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1084 Net Weight (by air)  
kg 147.4 Gross Weight (by air) kg 189.2 pallet Q'ty (by sea) pcs 38 Q'ty/20cy (by  
sea) pcs 380 Q'ty/40cy (by sea) pcs 798 Dimension (L)(by sea) mm 1200 Dimension  
(W)(by sea) mm 1000 Dimension (H)(by sea) mm 2193 Net Weight (by sea) kg  
254.6 Gross Weight (by sea) kg 326.8 Dimension & Weight (product) Product  
Dimension with Stand (WxDxH) (mm) 613.04 x 233.68 x 405.11 Product Dimension  
with Stand (WxDxH) (inch) 24.14 x 9.2 x 15.95 Product Dimension without Stand  
(WxDxH) (mm) 613.04 x 58.89 x 368.84 Product Dimension without Stand (WxDxH)  
(inch) 24.14 x 2.32 x 14.52 Stand Dimension (WxDxH) (mm) 303.35 x 233.68 x  
350.73 Stand Dimension (WxDxH) (inch) 11.94 x 9.2 x 13.81 Weight (Net kg) 6.7  
Weight (Net lbs) 14.77 Weight Without Stand (kg) 3.8 Weight Without Stand (lbs)  
8.38 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm) N/A Inside  
Carton Dimension (WxDxH) (inch) N/A Outer Carton Dimension (WxDxH) (cm) N/A  
Outer Carton Dimension (WxDxH) (inch) N/A Weight (Gross kg) 8.6 Weight (Gross  
lbs) 18.96 Accessories DisplayPort Cable 1 HDMI Cable 0 DVI Cable 0 USB Type A to  
Type B Cable 0 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0  
Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable  
0 3.5mm Mic Cable 0 Power Cord 1 AC Adaptor 1 Quick Guide 1 Mouse Bungee Unit  
0 VESA Screw 4 Switch Case 0 Portable Screen Protection Case 0 Monitor Hood 0  
Speaker (Accessories) 0 Model Info Series Name Gaming Segment Name AG  
Segment Name2 G272Q Segment Name3 G272QPF Barcode Info EAN  
4711377040235

MSI Gaming monitor G272QPF, 27"/2560x1440 (WQHD)/Rapid IPS,  
170Hz/1ms/1000:1/300cd / m2/2x HDMI/DP MKT Spec G272QPF Website Name  
G272QPF Color ID1/Black-Black Local Dimming NA Display Screen Size 27" (69 cm)  
Active Display Area (mm) 596.736(H)x335.664(V) Curvature Flat Panel Type Rapid  
IPS Resolution 2560x1440 (WQHD) Pixel pitch (mm) 0.2331(H)x0.2331(V) Aspect  
Ratio 16:9 Dynamic Refresh Rate technology G-SYNC Compatible Dynamic Refresh  
Rate Activated Range 48 ~ 170Hz HDR (High dynamic range) HDR Ready SDR  
Brightness (nits) 300 HDR Brightness (Peak nits) NA Contrast Ratio 1000:1 DCR  
(Dynamic Contrast Ratio) 100000000:1 Signal Frequency 78.2~268.8 KHz(H) /  
48~165 Hz(V) Refresh Rate 170Hz Response Time (MPRT) 1ms(MPRT) Response  
Time (GTG) 1ms Response Time (Tr + Tf) 5ms View Angles 178°(H)/178°(V) NTSC

(CIE1976 area percentage/overlap) 104.82%/87.27% NTSC (CIE1931 area percentage/overlap) 90.44%/84.13% sRGB (CIE1976 area percentage/overlap) 120.22%/99.34% sRGB (CIE1931 area percentage/overlap) 127.69%/99.83% Adobe RGB (CIE1976 area percentage/overlap) 103.02%/91.18% Adobe RGB (CIE1931 area percentage/overlap) 94.64%/86.67% DCI-P3 (CIE1976 area percentage/overlap) 95.75%/92.83% DCI-P3 (CIE1931 area percentage/overlap) 94.13%/93.45% Rec.709 (CIE1976 area percentage/overlap) 120.22%/99.34% Rec.709 (CIE1931 area percentage/overlap) 127.69%/99.83% Rec.2020 (CIE1976 area percentage/overlap) 69.77%/69.50% Rec.2020 (CIE1931 area percentage/overlap) 67.53%/67.48% Quantum Dot NA Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 1.07B Color bit 10 bits (8 bits + FRC) Note\_DP 2560 x 1440 (Up to 170Hz) Note\_HDMI 2560 x 1440 (Up to 144Hz) Note\_DVI N/A I/O Ports HDMI 2 HDMI version 2.0b HDMI HDCP version 2.3 DisplayPort 1 DisplayPort version 1.2a DisplayPort HDCP version 2.3 Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) NA DVI NA D-Sub NA Line-in NA Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader N/A Lock type Kensington Lock Speaker NA Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 20V 2.25A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 26 Annual Energy Consumption (KWh) 38 Standby-mode Power Consumption (W) 0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating G Adapter's KC safety Number N/A Power Cord Type C5 Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) -45° ~ 45° Adjustment (Height) 0 ~ 130 mm Adjustment (Pivot) -90° ~ 90° VESA Mounting 100x100mm Frameless Design Yes Carton Carton Item (SG14) SG14-M1S034A-MNT pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 22 Q'ty/20cy (by air) pcs 220 Q'ty/40cy (by air) pcs 462 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1084 Net Weight (by air) kg 147.4 Gross Weight (by air) kg 189.2 pallet Q'ty (by sea) pcs 38 Q'ty/20cy (by sea) pcs 380 Q'ty/40cy (by sea) pcs 798 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2193 Net Weight (by sea) kg 254.6 Gross Weight (by sea) kg 326.8 Dimension & Weight (product) Product Dimension with Stand (WxDxH) (mm) 613.04 x 233.68 x 405.11 Product Dimension with Stand (WxDxH) (inch) 24.14 x 9.2 x 15.95 Product Dimension without Stand (WxDxH) (mm) 613.04 x 58.89 x 368.84 Product Dimension without Stand (WxDxH) (inch) 24.14 x 2.32 x 14.52 Stand Dimension (WxDxH) (mm) 303.35 x 233.68 x 350.73 Stand Dimension (WxDxH) (inch) 11.94 x 9.2 x 13.81 Weight (Net kg) 6.7 Weight (Net lbs) 14.77 Weight Without Stand (kg) 3.8 Weight Without Stand (lbs) 8.38 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm) N/A Inside Carton Dimension (WxDxH) (inch) N/A Outer Carton Dimension (WxDxH) (cm) N/A Outer Carton Dimension (WxDxH) (inch) N/A Weight (Gross kg) 8.6 Weight (Gross lbs) 18.96 Accessories DisplayPort Cable 1 HDMI Cable 0 DVI Cable 0 USB Type A to Type B Cable 0 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable 0 Power Cord 1 AC Adaptor 1 Quick Guide 1 Mouse Bungee Unit 0 VESA Screw 4 Switch Case 0 Portable Screen Protection Case 0 Monitor Hood 0 Speaker (Accessories) 0 Model Info Series Name Gaming Segment

Name AG Segment Name2 G272Q Segment Name3 G272QPF Barcode Info EAN  
4711377040235