

Kyocera ECOSYS MA3500cifx/ A4 MFP/ barevná / 35ppm/ duplex/ DADF/ USB/ LAN/ Displej/ HyPAS/ fax

cena vč DPH: **17480 Kč**

cena bez DPH: 14446 Kč

Kód zboží (ID): 5723973

PN: 1102Z33NL0

Záruka: 24 měsíců



ECOSYS MA3500cifx Díky vysoké rychlosti tisku a bezkonkurenční spolehlivosti je ECOSYS MA3500cifx ideální volbou pro střední až větší pracovní skupiny. Plnohodnotný velký dotykový panel poskytuje jednoduchý přístup k mnoha funkcím této všestranné MFP. Kromě toho umožňuje otevřená platforma HyPAS širokou škálu přizpůsobení dle vašich požadavků. Oboustranný tisk, kopírování a skenování Přepis a šifrování dat, Trusted Platform Module, S/MIME a TLS 1.3 Platforma HyPAS™ umožňující velké množství přizpůsobení Posilte produktivitu díky Microsoft Universal Print Startovací černý toner na 3,500 stran A4 Obecné vlastnosti ARTICLE TYPE Colour multifunctional for A4 format Rychlost tisku Up to 35 pages A4 per minute in colour and b/w Doba zahřívání Approx. 26 seconds or less Spotřeba energie Printing: 532 W Copying: 547 W Low power mode: -- W Ready mode: 84 W Sleep-mode: 0.6 W Warranty/záruka 1-year warranty as standard.** KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions. Zpracování papíru Vstupní kapacita 100-sheet multi-purpose tray, 60–220 g/m², A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (70 x 148 to 216 x 356 mm), 250-sheet Standard universal paper cassette, 60–163 g/m², A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (105 x 148 to 216 x 356 mm) Max. vstupní kapacita 2,210 sheets with 64 g/m² Duplexní jednotka Duplex as standard supports 60 – 163 g/m²; A4, A5, B5, Letter, Legal Max. výstupní kapacita Max. 250 sheets face-down with paper full sensor Document processor Reversing document processor: 100 sheets, 50–120 g/m², A4, A5, A6, B5, Letter, Legal, Custom (105 x 148 to 216 x 356 mm) Tiskové funkce Procesor Cortex-A9 Dual core 1,2 GHz Fonts 93 scalable fonts for PCL/PostScript, 8 fonts for Windows Vista, 1 bitmap font, 45 barcodes (e.g. EAN8, EAN13, EAN128) with automatic generation of checksums as

well as support of two-dimensional barcodes PDF-417 under PRESCRIBE (PCL and other barcodes available as an option) Funkce Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, quick copy, proof and hold, private print, job storage and job management functionality

Operační systémy All current Windows operating systems, MAC OS X Version 10.8 or higher, Unix, Linux as well as other operating systems on request

Kopírovací funkce Max. original size A4/legal Continuous copy 1 - 999 Zoom range 25 - 400 % in 1% steps Preset magnification ratios 7 Reductions / 5 Enlargements Image adjustments text, photo, mix, card, document

Image Digital copy features Scan-once-copy-many, electronic sort (collate), ID card copy, 2in1, 4in1, auto cassette change, Skip blank page

Skenovací funkce Scan functionalities Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Local/Network TWAIN, WIA, WSD scan Scan speed 100 ipm (300 dpi, A4, b/w), 80 ipm (300 dpi, A4 colour), 60 ipm (300 dpi, A4, b/w) (Duplex), 40 ipm (300 dpi, A4 colour) (Duplex) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 200 dpi, 300 dpi, 400 dpi, 600 dpi (256 greyscales per colour) Max. scan size A4/legal File type TIFF, PDF, PDF/A, JPEG, XPS, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1a/b, PDF/A-2a/b/u, MS Office file and Searchable PDF (optional Scan Extension Kit(A) is required) Original recognition Text, photo, text + photo, light text, optimized for OCR

Faxové funkce Compatibility ITU-T Super G3 Modem speed Max. 33,6 kbps Scanning speed 2 seconds Transmission speed 3 seconds or less Scanning density Normal: 200 x 100 dpi, Fine: 200 x 200 dpi, Superfine: 200 x 400 dpi, Ultrafine: 400 x 400 dpi, Halftone: 256 greyscales Max. original size A4/legal Fax features Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

ECOSYS MA3500cifx Díky vysoké rychlosti tisku a bezkonkurenční spolehlivosti je ECOSYS MA3500cifx ideální volbou pro střední až větší pracovní skupiny. Plnohodnotný velký dotykový panel poskytuje jednoduchý přístup k mnoha funkcím této všestranné MFP. Kromě toho umožňuje otevřená platforma HyPAS širokou škálu přizpůsobení dle vašich požadavků. Oboustranný tisk, kopírování a skenování Přepis a šifrování dat, Trusted Platform Module, S/MIME a TLS 1.3 Platforma HyPAS™ umožňující velké množství přizpůsobení Posilte produktivitu díky Microsoft Universal Print Startovací černý toner na 3,500 stran A4 Obecné vlastnosti ARTICLE TYPE Colour multifunctional for A4 format Rychlost tisku Up to 35 pages A4 per minute in colour and b/w Doba zahřívání Approx. 26 seconds or less Spotřeba energie Printing: 532 W Copying: 547 W Low power mode: -- W Ready mode: 84 W Sleep-mode: 0.6 W Warranty/záruka 1-year warranty as standard.** KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions. Zpracování papíru Vstupní kapacita 100-sheet multi-purpose tray, 60–220 g/m2, A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (70 x 148 to 216 x 356 mm), 250-sheet Standard universal paper cassette, 60–163 g/m2, A4,

A5, A6, B5, B6, Letter, Legal, Folio, Custom (105 x 148 to 216 x 356 mm) Max.
vstupní kapacita 2,210 sheets with 64 g/m2 Duplexní jednotka Duplex as standard
supports 60 – 163 g/m2; A4, A5, B5, Letter, Legal Max. výstupní kapacita Max. 250
sheets face-down with paper full sensor Document processor Reversing document
processor: 100 sheets, 50–120 g/m2, A4, A5, A6, B5, Letter, Legal, Custom (105 x
148 to 216 x 356 mm) Tiskové funkce Procesor Cortex-A9 Dual core 1,2 GHz Fonts
93 scalable fonts for PCL/PostScript, 8 fonts for Windows Vista, 1 bitmap font, 45
barcodes (e.g. EAN8, EAN13, EAN128) with automatic generation of checksums as
well as support of two-dimensional barcodes PDF-417 under PRESCRIBE (PCL and
other barcodes available as an option) Funkce Encrypted PDF Direct Print, IPP
printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, quick
copy, proof and hold, private print, job storage and job management functionality
Operační systémy All current Windows operating systems, MAC OS X Version 10.8
or higher, Unix, Linux as well as other operating systems on request Kopírovací
funkce Max. original size A4/legal Continuous copy 1 - 999 Zoom range 25 - 400 %
in 1% steps Preset magnification ratios 7 Reductions / 5 Enlargements Image
adjustments texte, photo, mixte, carte, document imprimé Digital copy features
Scan-once-copy-many, electronic sort (collate), ID card copy, 2in1, 4in1, auto
cassette change, Skip blank page Skenovací funkce Scan functionalities Scan-to-
Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Local/Network TWAIN, WIA ,
WSD scan Scan speed 100 ipm (300 dpi, A4, b/w), 80 ipm (300 dpi, A4 colour), 60
ipm (300 dpi, A4, b/w) (Duplex), 40 ipm (300 dpi, A4 colour) (Duplex) Scan features
Colour scan, integrated address book, Active Directory support, encrypted data
transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip
Scan resolution 200 dpi, 300 dpi, 400 dpi, 600 dpi (256 greyscales per colour) Max.
scan size A4/legal File type TIFF, PDF, PDF/A, JPEG, XPS, Open XPS, Encrypted PDF,
High compression PDF, PDF/A-1a/b, PDF/A-2a/b/u, MS Office file and Searchable
PDF (optional Scan Extension Kit(A) is required) Original recognition Text, photo,
text + photo, light text, optimized for OCR Faxové funkce Compatibility ITU-T Super
G3 Modem speed Maks. 33,6 kbps Scanning speed 2 seconds Transmission speed
3 seconds or less Scanning density Normal: 200 x 100 dpi, Fine: 200 x 200 dpi,
Superfine: 200 x 400 dpi, Ultrafine: 400 x 400 dpi, Halftone: 256 greyscales Max.
original size A4/legal Fax features Network fax, duplex transmission and reception,
encrypted transmission and reception, polling transmission and reception,
broadcast