

# Kyocera ECOSYS MA4000cifx/ A4 MFP/ barevná / 40ppm/ duplex/ DADF/ USB/ LAN/ Displej/ HyPAS/ fax

**cena vč DPH: 25076 Kč**

cena bez DPH: 20724 Kč

**Kód zboží (ID): 5723975**

**PN: 1102Z53NLO**

**Záruka: 24 měsíců**



ECOSYS MA4000cifx Toto flexibilní zařízení je all-in-one řešení pro střední a velké pracovní skupiny, které nabízí vše od oboustranného tisku, kopírování, skenování až po faxování. Otevřená platforma HyPAS umožňuje širokou škálu přizpůsobení a jednopřechodový duplexní skenovací podavač zajišťuje bezproblémové a rychlé skenování. Oboustranný tisk, kopírování a skenování Přepis a šifrování dat, Trusted Platform Module, S/MIME a TLS 1.3 Platforma HyPAS™ umožňující velké množství přizpůsobení Posilte produktivitu díky Microsoft Universal Print Startovací černý toner na 6,000 stran A4 Obecné vlastnosti ARTICLE TYPE Colour multifunctional for A4 format Rychlost tisku Up to 40 pages A4 per minute in colour and b/w Doba zahřívání Approx. 25 seconds or less Spotřeba energie Printing: 532 W Copying: 547 W Ready mode: 84 W Sleep-mode: 0.6 W Warranty/záruka 1-year warranty as standard.\*\* KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions. Zpracování papíru Vstupní kapacita 100-sheet multi-purpose tray, 60–220g/m<sup>2</sup>, A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (70 x 148 to 216 x 356 mm), 250-sheet Standard universal paper cassette, 60–163 g/m<sup>2</sup>, A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (105 x 148 – 216 x 356 mm). Max. vstupní kapacita 1,850 sheets Duplexní jednotka Duplex as standard supports 60–163 g/m<sup>2</sup>, A4, A5, B5, Letter, Legal Max. výstupní kapacita Max. 250 sheets face-down with paper full sensor Document processor Dual scan document processor: standard 100 sheets 50 - 120 g/m<sup>2</sup> A4, A5, A6, B5, Letter, Legal, Custom (105 x 148 to 216 x 356 mm) Tiskové funkce Procesor ARM Cortex-A9 Dual core1.2 GHz Fonts 93 outline fonts (PCL), 93 fonts (KPDLM 3), 8 fonts( Windows Vista), 1 Bitmap font 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417) Funkce Encrypted PDF Direct Print, IPP printing, e-mail printing,

WSD print, secure printing via SSL, IPsec, SNMPv3, Private Print quick copy, proof and hold, job storage and job management functionality Operační systémy All current Windows operating systems, MAC OS X Version 10.8 or higher, Unix, Linux as well as other operating systems on request Kopírovací funkce Max. original size A4/Legal Continuous copy 1 - 999 Zoom range 25 - 400 % in 1% steps Preset magnification ratios 7 Reductions/5 Enlargements Image adjustments Text + Photo, Photo, Text, Map, Printed document Digital copy features Scan-once-copy-many, electronic sort (collate), ID card copy, 2in1, 4in1, auto cassette change, Skip blank page Skenovací funkce Scan functionalities Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Local/Network TWAIN , WIA , WSD scan Scan speed 120 ipm (300 dpi, A4, b/w), 100 ipm (300 dpi, A4 colour), 60 ipm (300 dpi, A4, b/w), 50 ipm (300 dpi, A4 colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 200 dpi, 300 dpi, 400 dpi, 600 dpi (256 greyscales per colour) Max. scan size A4 / Legal File type TIFF, PDF, PDF/A, JPEG, XPS, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1a/b, PDF/A-2a/b/u, MS Office file and Serchable PDF (optional Scan Extension Kit(A) is required) Original recognition Text, photo, text + photo, light text, optimised for OCR Faxové funkce Compatibility ITU-T Super G3 Modem speed Max. 33.6 kbps Scanning speed 2.0 seconds or less Transmission speed Max. 3 seconds (JBIG) Scanning density Normal: 8 dot/mm x 3.85 line/mm (200x100 dpi), Fine: 8 dot/mm x 7.7 line/mm (200x200 dpi), Superfine: 8 dot/mm x 15.4 line/mm (200x400dpi), Ultrafine: 16 dot/mm x 15.4 line/mm (400x400 dpi), Halftone: 256 gray scales Max. original size A4 / Legal Fax features Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

ECOSYS MA4000cifix Toto flexibilní zařízení je all-in-one řešení pro střední a velké pracovní skupiny, které nabízí vše od oboustranného tisku, kopírování, skenování až po faxování. Otevřená platforma HyPAS umožňuje širokou škálu přizpůsobení a jednopřechodový duplexní skenovací podavač zajišťuje bezproblémové a rychlé skenování. Oboustranný tisk, kopírování a skenování Přepis a šifrování dat, Trusted Platform Module, S/MIME a TLS 1.3 Platforma HyPAS™ umožňující velké množství přizpůsobení Posilte produktivitu díky Microsoft Universal Print Startovací černý toner na 6,000 stran A4 Obecné vlastnosti ARTICLE TYPE Colour multifunctional for A4 format Rychlost tisku Up to 40 pages A4 per minute in colour and b/w Doba zahřívání Approx. 25 seconds or less Spotřeba energie Printing: 532 W Copying: 547 W Ready mode: 84 W Sleep-mode: 0.6 W Warranty/záruka 1-year warranty as standard.\*\* KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions. Zpracování papíru Vstupní kapacita 100-sheet multi-purpose tray, 60-220g/m2, A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (70 x 148 to 216 x 356 mm), 250-sheet Standard universal paper cassette, 60-163 g/m2, A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (105 x 148 - 216 x 356 mm). Max. vstupní kapacita 1,850 sheets Duplexní jednotka Duplex as

standard supports 60–163 g/m<sup>2</sup>, A4, A5, B5, Letter, Legal Max. výstupní kapacita Max. 250 sheets face-down with paper full sensor Document processor Dual scan document processor: standard 100 sheets 50 - 120 g/m<sup>2</sup> A4, A5, A6, B5, Letter, Legal, Custom (105 x 148 to 216 x 356 mm) Tiskové funkce Procesor ARM Cortex-A9 Dual core 1.2 GHz Fonts 93 outline fonts (PCL), 93 fonts (KPDL 3), 8 fonts (Windows Vista), 1 Bitmap font 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417) Funkce Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, Private Print quick copy, proof and hold, job storage and job management functionality Operační systémy All current Windows operating systems, MAC OS X Version 10.8 or higher, Unix, Linux as well as other operating systems on request Kopírovací funkce Max. original size A4/Legal Continuous copy 1 - 999 Zoom range 25 - 400 % in 1% steps Preset magnification ratios 7 Reductions/5 Enlargements Image adjustments Text + Photo, Photo, Text, Map, Printed document Digital copy features Scan-once-copy-many, electronic sort (collate), ID card copy, 2in1, 4in1, auto cassette change, Skip blank page Skenovací funkce Scan functionalities Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Local/Network TWAIN , WIA , WSD scan Scan speed 120 ipm (300 dpi, A4, b/w), 100 ipm (300 dpi, A4 colour), 60 ipm (300 dpi, A4, b/w), 50 ipm (300 dpi, A4 colour) Scan features Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip Scan resolution 200 dpi, 300 dpi, 400 dpi, 600 dpi (256 greyscales per colour) Max. scan size A4 / Legal File type TIFF, PDF, PDF/A, JPEG, XPS, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1a/b, PDF/A-2a/b/u, MS Office file and Serchable PDF (optional Scan Extension Kit(A) is required) Original recognition Text, photo, text + photo, light text, optimised for OCR Faxové funkce Compatibility ITU-T Super G3 Modem speed Max. 33.6 kbps Scanning speed 2.0 seconds or less Transmission speed Max. 3 seconds (JBIG) Scanning density Normal: 8 dot/mm x 3.85 line/mm (200x100 dpi), Fine: 8 dot/mm x 7.7 line/mm (200x200 dpi), Superfine: 8 dot/mm x 15.4 line/mm (200x400dpi), Ultrafine: 16 dot/mm x 15.4 line/mm (400x400 dpi), Halftone: 256 gray scales Max. original size A4 / Legal Fax features Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast