

DELL PowerEdge R450/ 8x 2.5"/ Xeon Silver 4309Y/ 16GB/ 1x 480GB/ H755/ 2x 1100W/ iDRAC 9 Ent. 15G/ 1U/ 3Y Basic on-site

cena vč DPH: **82093 Kč**

cena bez DPH: 67845 Kč



Kód zboží (ID): 5881231

PN: 1336113-3

Záruka: 36 měsíců

Technické parametre **Chassis** 2.5" Chassis with up to 8 Hard Drives (SAS/SATA) 1 CPU **Processor** Intel Xeon Silver 4309Y 2.8G, 8C/16T, 10.4GT/s, 12M Cache, Turbo, HT (105W) DDR4-2666 **Memory** 1x 16GB RDIMM, 3200MT/s, Dual Rank **Hard Drive** 1x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD **Add Hard Drive - Display - Graphics** no Graphics **PalmRest** ReadyRails A11 drop-in/stab-in Combo Rails With Cable Management Arm **Riser** Riser Config 0, 1xOCP 3.0(x16)+ 1x16LP **AIO Solution** Standard Bezel for x8 Chassis **Camera & Mic - Optical Drive** No Internal Optical Drive **Wireless - WWAN - NIC** No OCP 3.0 mezzanine NIC card, Blank Filler Only **Raid Level** C7, Unconfigured RAID for HDDs or SSDs (Mixed Drive Types Allowed) **Controller** Front PERC H755 Front Load **DRAC** iDRAC9, Enterprise 15G **Keyboard - Mouse - Battery - Power Supply** Dual, Fully Redundant(1+1), Hot-Plug Power Supply, 1100W MM(100-240Vac) Titanium **Cable** 2x Rack Power Cord 2M (C13/C14 12A) - FGA Only **Colour** Black **Service** 3Y Basic Onsite

Slovenská republika:

DELL Technická podpora: +421 2 5750 83 03

DELL ProSupport hotline: +421 2 5750 69 81

Česká republika:

DELL Technická podpora: +420 225 772 711

DELL ProSupport Česká Republika: +420 225 772 969

Link na výrobcu: <https://www.dell.com/en-us/work/shop/productdetailstxn/poweredge-r450>

<h2>Technické parametre</h2>

<table style="height: 680px; width: 97.5852%; border-collapse: collapse;" border="1">

<tbody>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff; border-style: hidden; background-color: #dd1d57;">Chassis</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px;">2.5" Chassis with up to 8 Hard Drives (SAS/SATA) 1 CPU</td></tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style: hidden; background-color: #c90943; text-align: center;">Processor</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px; background-color: #e5e4e2;">Intel Xeon Silver 4309Y 2.8G, 8C/16T, 10.4GT/s, 12M Cache, Turbo, HT (105W) DDR4-2666</td></tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff; border-style: hidden; background-color: #dd1d57;">Memory</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px;">1x 16GB RDIMM, 3200MT/s, Dual Rank</td></tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style: hidden; background-color: #c90943; text-align: center;">Hard Drive</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px; background-color: #e5e4e2;">1x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD</td></tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff; border-style: hidden; background-color: #dd1d57;">Add Hard Drive</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px;">-</td></tr>

<tr style="height: 40px;">

```

<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Display</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Graphics</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">no Graphics</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">PalmRest</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">ReadyRails A11 drop-in/stab-in
Combo Rails With Cable Management Arm</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Riser</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">Riser Config 0, 1xOCP 3.0(x16)+ 1x16LP</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">AIO Solution</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">Standard Bezel for x8
Chassis</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Camera & Mic</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Optical Drive</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">No Internal Optical Drive</td>

```

```
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Wireless</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">WWAN</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">NIC</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">No OCP 3.0 mezzanine NIC card, Blank Filler Only</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Raid Level</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">C7, Unconfigured RAID for HDDs
or SSDs (Mixed Drive Types Allowed)</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Controller</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">Front PERC H755 Front Load</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">DRAC</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">iDRAC9, Enterprise 15G</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Keyboard</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
```

```
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Mouse</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Battery</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Power Supply</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">Dual, Fully Redundant(1+1), Hot-
Plug Power Supply,1100W MM(100-240Vac) Titanium</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Cable</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">2x Rack Power Cord 2M (C13/C14 12A) - FGA Only</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Colour</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">Black</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Service</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">3Y Basic Onsite</td>
</tr>
</tbody>
</table>
<div><strong><span style="font-size: 10pt;"><span style="font-family:
arial,Helvetica,sans-serif;"><span style="font-family: arial,Helvetica,sans-
```

