

# MSI PRO MP273A/ 27"/ IPS/ 1920x1080/ 1ms/ 100Hz/ 1000:1/ 250cd/m2 / HDMI/ DP/ VGA/ VESA/ černý

**cena vč DPH:** **3738 Kč**

cena bez DPH: 3089 Kč

**Kód zboží (ID):** 6017236

**PN:** PRO-MP273A

**Záruka:** 24 měsíců



MSI monitor PRO MP273A, 27" IPS/1920 x 1080 (FHD)/100Hz/1ms/DP/HDMI/D-Sub/černá MKT Spec PRO MP273A Website Name PRO MP273A Color ID1/Black-Black Local Dimming NA Display Screen Size 27" (69 cm) Active Display Area (mm) 597.888(H)x336.312(V) Curvature Flat Panel Type IPS Resolution 1920x1080 (FHD) Pixel pitch (mm) 0.3114(H)x0.3114(V) Aspect Ratio 16:9 Dynamic Refresh Rate technology Adaptive-Sync Dynamic Refresh Rate Activated Range 48~100Hz HDR (High dynamic range) N/A SDR Brightness (nits) 300 HDR Brightness (Peak nits) NA Contrast Ratio 1000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 52.32~109 KHz (H) / 48~100 Hz(V) Refresh Rate 100HZ Response Time (MPRT) 1ms(MPRT) Response Time (GTG) 4ms Response Time (Tr + Tf) 14ms View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap) 93%/83% NTSC (CIE1931 area percentage/overlap) 76%/74% sRGB (CIE1976 area percentage/overlap) 106%/99% sRGB (CIE1931 area percentage/overlap) 108%/99% Adobe RGB (CIE1976 area percentage/overlap) 91%/88% Adobe RGB (CIE1931 area percentage/overlap) 80%/77% DCI-P3 (CIE1976 area percentage/overlap) 85%/84% DCI-P3 (CIE1931 area percentage/overlap) 79%/79% Rec.709 (CIE1976 area percentage/overlap) 106%/99% Rec.709 (CIE1931 area percentage/overlap) 108%/99% Rec.2020 (CIE1976 area percentage/overlap) 61%/61% Rec.2020 (CIE1931 area percentage/overlap) 57%/57% Quantum Dot NA Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 16.7M Color bit 8 bits (6 bits + FRC) Note\_DP 1920 X 1080 (Up to 100Hz) Note\_HDMI 1920 X 1080 (Up to 100Hz) Note\_DVI N/A I/O Ports HDMI 1 HDMI version 1.4b HDMI HDCP version 1.4 DisplayPort 1 DisplayPort version 1.2a DisplayPort HDCP version 1.3 Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) NA DVI NA D-Sub 1 Line-in 1 Mic-in NA Mic-in upstream NA Headphone-

out NA Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader N/A Lock type Kensington Lock Speaker 2 Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 12V 2.5A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 21W Annual Energy Consumption (KWh) 21W Standby-mode Power Consumption (W) 0.5W Off-mode Power Consumption (W) 0.3W Energy Efficiency Rating E Adapter's KC safety Number HU10450-16075 Power Cord Type C13 QC Output NA QC Output Power N/A PD Output NA PD Output Power N/A Warranty Warranty 24M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) NA Adjustment (Height) NA Adjustment (Pivot) NA VESA Mounting 75x75mm Frameless Design Yes Carton Carton Item (SG14) SG14-M1S010A-PMT pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 36 Q'ty/20cy (by air) pcs 360 Q'ty/40cy (by air) pcs 756 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1520 Net Weight (by air) kg 140.4 Gross Weight (by air) kg 211 pallet Q'ty (by sea) pcs 51 Q'ty/20cy (by sea) pcs 510 Q'ty/40cy (by sea) pcs 1071 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2121 Net Weight (by sea) kg 198.9 Gross Weight (by sea) kg 291 Dimension & Weight (product) Product Dimension with Stand (WxDxH) (mm) 613.50 x 182.0 x 462.60 Product Dimension with Stand (WxDxH) (inch) 24.15 x 7.17 x 18.21 Product Dimension without Stand (WxDxH) (mm) 613.50 x 48.5 x 362.5 Product Dimension without Stand (WxDxH) (inch) 24.15 x 1.91 x 14.27 Stand Dimension (WxDxH) (mm) 236.9 x 182.0 x 177.7 Stand Dimension (WxDxH) (inch) 9.33 x 7.17 x 7. Weight (Net kg) 3.9 Weight (Net lbs) 8.6 Weight Without Stand (kg) 3.4 Weight Without Stand (lbs) 7.5 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm) N/A Inside Carton Dimension (WxDxH) (inch) N/A Outer Carton Dimension (WxDxH) (cm) N/A Outer Carton Dimension (WxDxH) (inch) N/A Weight (Gross kg) 5.3 Weight (Gross lbs) 11.68 Accessories DisplayPort Cable 0 HDMI Cable 1 DVI Cable 0 USB Type A to Type B Cable 0 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable 0 Power Cord 1 AC Adaptor 1 Quick Guide 1 Model Info Series Name Pro Segment Name PRO Segment Name2 MP273 Segment Name3 MP273A Barcode Info EAN 4711377035101

MSI monitor PRO MP273A, 27" IPS/1920 x 1080 (FHD)/100Hz/1ms/DP/HDMI/D-Sub/černá MKT Spec PRO MP273A Website Name PRO MP273A Color ID1/Black-Black Local Dimming NA Display Screen Size 27" (69 cm) Active Display Area (mm) 597.888(H)x336.312(V) Curvature Flat Panel Type IPS Resolution 1920x1080 (FHD) Pixel pitch (mm) 0.3114(H)x0.3114(V) Aspect Ratio 16:9 Dynamic Refresh Rate technology Adaptive-Sync Dynamic Refresh Rate Activated Range 48~100Hz HDR (High dynamic range) N/A SDR Brightness (nits) 300 HDR Brightness (Peak nits) NA Contrast Ratio 1000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 52.32~109 KHz (H) / 48~100 Hz(V) Refresh Rate 100HZ Response Time (MPRT) 1ms(MPRT) Response Time (GTG) 4ms Response Time (Tr + Tf) 14ms View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap) 93%/83% NTSC

(CIE1931 area percentage/overlap) 76%/74% sRGB (CIE1976 area percentage/overlap) 106%/99% sRGB (CIE1931 area percentage/overlap) 108%/99% Adobe RGB (CIE1976 area percentage/overlap) 91%/88% Adobe RGB (CIE1931 area percentage/overlap) 80%/77% DCI-P3 (CIE1976 area percentage/overlap) 85%/84% DCI-P3 (CIE1931 area percentage/overlap) 79%/79% Rec.709 (CIE1976 area percentage/overlap) 106%/99% Rec.709 (CIE1931 area percentage/overlap) 108%/99% Rec.2020 (CIE1976 area percentage/overlap) 61%/61% Rec.2020 (CIE1931 area percentage/overlap) 57%/57% Quantum Dot NA Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 16.7M Color bit 8 bits (6 bits + FRC) Note\_DP 1920 X 1080 (Up to 100Hz) Note\_HDMI 1920 X 1080 (Up to 100Hz) Note\_DVI N/A I/O Ports HDMI 1 HDMI version 1.4b HDMI HDCP version 1.4 DisplayPort 1 DisplayPort version 1.2a DisplayPort HDCP version 1.3 Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) NA DVI NA D-Sub 1 Line-in 1 Mic-in NA Mic-in upstream NA Headphone-out NA Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader N/A Lock type Kensington Lock Speaker 2 Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 12V 2.5A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 21W Annual Energy Consumption (KWh) 21W Standby-mode Power Consumption (W) 0.5W Off-mode Power Consumption (W) 0.3W Energy Efficiency Rating E Adapter's KC safety Number HU10450-16075 Power Cord Type C13 QC Output NA QC Output Power N/A PD Output NA PD Output Power N/A Warranty Warranty 24M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) NA Adjustment (Height) NA Adjustment (Pivot) NA VESA Mounting 75x75mm Frameless Design Yes Carton Carton Item (SG14) SG14-M1S010A-PMT pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 36 Q'ty/20cy (by air) pcs 360 Q'ty/40cy (by air) pcs 756 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1520 Net Weight (by air) kg 140.4 Gross Weight (by air) kg 211 pallet Q'ty (by sea) pcs 51 Q'ty/20cy (by sea) pcs 510 Q'ty/40cy (by sea) pcs 1071 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2121 Net Weight (by sea) kg 198.9 Gross Weight (by sea) kg 291 Dimension & Weight (product) Product Dimension with Stand (WxDxH) (mm) 613.50 x 182.0 x 462.60 Product Dimension with Stand (WxDxH) (inch) 24.15 x 7.17 x 18.21 Product Dimension without Stand (WxDxH) (mm) 613.50 x 48.5 x 362.5 Product Dimension without Stand (WxDxH) (inch) 24.15 x 1.91 x 14.27 Stand Dimension (WxDxH) (mm) 236.9 x 182.0 x 177.7 Stand Dimension (WxDxH) (inch) 9.33 x 7.17 x 7. Weight (Net kg) 3.9 Weight (Net lbs) 8.6 Weight Without Stand (kg) 3.4 Weight Without Stand (lbs) 7.5 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm) N/A Inside Carton Dimension (WxDxH) (inch) N/A Outer Carton Dimension (WxDxH) (cm) N/A Outer Carton Dimension (WxDxH) (inch) N/A Weight (Gross kg) 5.3 Weight (Gross lbs) 11.68 Accessories DisplayPort Cable 0 HDMI Cable 1 DVI Cable 0 USB Type A to Type B Cable 0 USB Type C to Type A Cable 0 USB Type C to Type C Cable 0 Thunderbolt Cable 0 VGA Cable 0 3.5mm audio Cable 0 3.5mm combo audio Cable 0 3.5mm Mic Cable 0 Power Cord 1 AC Adaptor 1 Quick Guide 1 Model Info Series Name Pro Segment Name PRO Segment Name2 MP273 Segment Name3 MP273A Barcode Info EAN 4711377035101