

MSI GAMING Optix G27C4 E3

cena vč DPH: **4874 Kč**

cena bez DPH: 4028 Kč

Kód zboží (ID): 6125144

PN: G27C4-E3

Záruka: 24 měsíců



MSI Gaming monitor G27C4 E3, 27" Rapid VA zakřivený /FHD/180Hz/DP/2xHDMI
MKT Spec G27C4 E3 Website Name G27C4 E3 Color ID1/Black-Black Local Dimming
NA Display Screen Size 27" (69 cm) Active Display Area (mm) 597.888(H) x
336.312(V) Curvature Curve 1500R Panel Type Rapid VA Resolution 1920x1080
(FHD) Pixel pitch (mm) 0.3114(H)x0.3114(V) Aspect Ratio 16:9 Dynamic Refresh
Rate technology Adaptive-Sync Dynamic Refresh Rate Activated Range 48 ~ 180Hz
HDR (High dynamic range) NA SDR Brightness (nits) 250 HDR Brightness (Peak nits)
NA Contrast Ratio 3000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal
Frequency 53.04~199.08 KHz(H) / 48~180 Hz(V) Refresh Rate 180Hz Response
Time (MPRT) 1ms(MPRT) Response Time (GTG) 1ms Response Time (Tr + Tf) TBD
View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap)
104.42%/86.47% NTSC (CIE1931 area percentage/overlap) 88.02%/81.13% sRGB
(CIE1976 area percentage/overlap) 119.77%/99.31% sRGB (CIE1931 area
percentage/overlap) 124.28%/99.84% Adobe RGB (CIE1976 area
percentage/overlap) 102.63%/90.38% Adobe RGB (CIE1931 area
percentage/overlap) 92.11%/84.15% DCI-P3 (CIE1976 area percentage/overlap)
95.38%/93.96% DCI-P3 (CIE1931 area percentage/overlap) 91.61%/90.74% Rec.709
(CIE1976 area percentage/overlap) 119.77%/99.31% Rec.709 (CIE1931 area
percentage/overlap) 124.28%/99.84% Rec.2020 (CIE1976 area percentage/overlap)
69.5%/69.5% Rec.2020 (CIE1931 area percentage/overlap) 65.73%/65.73%
Quantum Dot NA Surface Treatment Anti-glare Touch Screen Non-touch Display
Colors 16.7M Color bit 8 bits Note_DP 1920 x 1080 (Up to 180Hz) Note_HDMI 1920 x
1080 (Up to 180Hz) Note_DVI N/A I/O Ports HDMI 2 HDMI version 2.0b HDMI HDCP
version 2.3 DisplayPort 1 DisplayPort version 1.2a DisplayPort HDCP version 2.3
Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C
(DisplayPort Alternate) NA DVI NA D-Sub NA Line-in NA Mic-in NA Mic-in upstream
NA Headphone-out 1 Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB
2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1

Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader NA Lock type Kensington Lock Speaker NA Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 20V 2.25A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 21 Annual Energy Consumption (KWh) NA Standby-mode Power Consumption (W) 0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating E Adapter's KC safety Number SU10469-15001 Power Cord Type C5 QC Output NA QC Output Power NA PD Output NA PD Output Power NA Warranty Warranty 36M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) NA Adjustment (Height) NA Adjustment (Pivot) NA VESA Mounting 100x100mm Frameless Design Yes Carton Carton Item (SG14) SG14-M15004A-MNT pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 20 Q'ty/20cy (by air) pcs 200 Q'ty/40cy (by air) pcs 420 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1060 Net Weight (by air) kg 128 Gross Weight (by air) kg 149.24 pallet Q'ty (by sea) pcs 43 Q'ty/20cy (by sea) pcs 430 Q'ty/40cy (by sea) pcs 903 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2152 Net Weight (by sea) kg 275.2 Gross Weight (by sea) kg 296.44 Dimension & Weight (product) Product Dimension with Stand (WxDxH) (mm) 612 x 225 x 458 Product Dimension with Stand (WxDxH) (inch) 24.09 x 8.86 x 18.03 Product Dimension without Stand (WxDxH) (mm) 612 x 76 x 373 Product Dimension without Stand (WxDxH) (inch) 24.09 x 2.99 x 14.69 Stand Dimension (WxDxH) (mm) 453 x 225 x 263 Stand Dimension (WxDxH) (inch) 17.83 x 8.86 x 10.35 Weight (Net kg) 4.5 Weight (Net lbs) 9.92 Weight Without Stand (kg) 3.8 Weight Without Stand (lbs) 8.38 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm) 68.3 x 15.7 x 46.3 Inside Carton Dimension (WxDxH) (inch) 26.89 x 6.18 x 18.23 Outer Carton Dimension (WxDxH) (cm) 69.8 x 17.2 x 48.8 Outer Carton Dimension (WxDxH) (inch) 27.48 x 6.77 x 19.21 Weight (Gross kg) 6.4 Weight (Gross lbs) 14.11 Accessories DisplayPort Cable 0 HDMI Cable 1 Power Cord 1 AC Adaptor 1 Quick Guide 1 Model Info Series Name Gaming Segment Name AG Segment Name2 G27C4 Segment Name3 G27C4 E3 Barcode Info EAN 4711377131889

MSI Gaming monitor G27C4 E3, 27" Rapid VA zakřivený /FHD/180Hz/DP/2xHDMI MKT Spec G27C4 E3 Website Name G27C4 E3 Color ID1/Black-Black Local Dimming NA Display Screen Size 27" (69 cm) Active Display Area (mm) 597.888(H) x 336.312(V) Curvature Curve 1500R Panel Type Rapid VA Resolution 1920x1080 (FHD) Pixel pitch (mm) 0.3114(H)x0.3114(V) Aspect Ratio 16:9 Dynamic Refresh Rate technology Adaptive-Sync Dynamic Refresh Rate Activated Range 48 ~ 180Hz HDR (High dynamic range) NA SDR Brightness (nits) 250 HDR Brightness (Peak nits) NA Contrast Ratio 3000:1 DCR (Dynamic Contrast Ratio) 100000000:1 Signal Frequency 53.04~199.08 KHz(H) / 48~180 Hz(V) Refresh Rate 180Hz Response Time (MPRT) 1ms(MPRT) Response Time (GTG) 1ms Response Time (Tr + Tf) TBD View Angles 178°(H)/178°(V) NTSC (CIE1976 area percentage/overlap) 104.42%/86.47% NTSC (CIE1931 area percentage/overlap) 88.02%/81.13% sRGB (CIE1976 area percentage/overlap) 119.77%/99.31% sRGB (CIE1931 area percentage/overlap) 124.28%/99.84% Adobe RGB (CIE1976 area percentage/overlap) 102.63%/90.38% Adobe RGB (CIE1931 area

percentage/overlap) 92.11%/84.15% DCI-P3 (CIE1976 area percentage/overlap) 95.38%/93.96% DCI-P3 (CIE1931 area percentage/overlap) 91.61%/90.74% Rec.709 (CIE1976 area percentage/overlap) 119.77%/99.31% Rec.709 (CIE1931 area percentage/overlap) 124.28%/99.84% Rec.2020 (CIE1976 area percentage/overlap) 69.5%/69.5% Rec.2020 (CIE1931 area percentage/overlap) 65.73%/65.73% Quantum Dot NA Surface Treatment Anti-glare Touch Screen Non-touch Display Colors 16.7M Color bit 8 bits Note_DP 1920 x 1080 (Up to 180Hz) Note_HDMI 1920 x 1080 (Up to 180Hz) Note_DVI N/A I/O Ports HDMI 2 HDMI version 2.0b HDMI HDCP version 2.3 DisplayPort 1 DisplayPort version 1.2a DisplayPort HDCP version 2.3 Thunderbolt NA Thunderbolt version NA Thunderbolt HDCP version NA USB Type C (DisplayPort Alternate) NA DVI NA D-Sub NA Line-in NA Mic-in NA Mic-in upstream NA Headphone-out 1 Audio Combo NA USB 2.0 Type A NA USB 2.0 Type B NA USB 2.0 Type C NA USB 3.2 Gen 1 Type A NA USB 3.2 Gen 1 Type B NA USB 3.2 Gen 1 Type C NA USB 3.2 Gen 2x2 Type C NA USB 3.2 Gen 2x2 Type A NA Card reader NA Lock type Kensington Lock Speaker NA Webcam NA Power Country EU Territory EU Entity EU OBD Power Type External Adaptor 20V 2.25A Power Input 100~240V, 50/60Hz On-mode Power Consumption (KWh/1000h) 21 Annual Energy Consumption (KWh) NA Standby-mode Power Consumption (W) 0.5 Off-mode Power Consumption (W) 0.3 Energy Efficiency Rating E Adapter's KC safety Number SU10469-15001 Power Cord Type C5 QC Output NA QC Output Power NA PD Output NA PD Output Power NA Warranty Warranty 36M Design Adjustment (Tilt) -5° ~ 20° Adjustment (Swivel) NA Adjustment (Height) NA Adjustment (Pivot) NA VESA Mounting 100x100mm Frameless Design Yes Carton Carton Item (SG14) SG14-M1S004A-MNT pcs/Carton 1 Pallet pallet Q'ty (by air) pcs 20 Q'ty/20cy (by air) pcs 200 Q'ty/40cy (by air) pcs 420 Dimension (L)(by air) mm 1200 Dimension (W)(by air) mm 1000 Dimension (H)(by air) mm 1060 Net Weight (by air) kg 128 Gross Weight (by air) kg 149.24 pallet Q'ty (by sea) pcs 43 Q'ty/20cy (by sea) pcs 430 Q'ty/40cy (by sea) pcs 903 Dimension (L)(by sea) mm 1200 Dimension (W)(by sea) mm 1000 Dimension (H)(by sea) mm 2152 Net Weight (by sea) kg 275.2 Gross Weight (by sea) kg 296.44 Dimension & Weight (product) Product Dimension with Stand (WxDxH) (mm) 612 x 225 x 458 Product Dimension with Stand (WxDxH) (inch) 24.09 x 8.86 x 18.03 Product Dimension without Stand (WxDxH) (mm) 612 x 76 x 373 Product Dimension without Stand (WxDxH) (inch) 24.09 x 2.99 x 14.69 Stand Dimension (WxDxH) (mm) 453 x 225 x 263 Stand Dimension (WxDxH) (inch) 17.83 x 8.86 x 10.35 Weight (Net kg) 4.5 Weight (Net lbs) 9.92 Weight Without Stand (kg) 3.8 Weight Without Stand (lbs) 8.38 Dimension & Weight (box) Inside Carton Dimension (WxDxH) (cm) 68.3 x 15.7 x 46.3 Inside Carton Dimension (WxDxH) (inch) 26.89 x 6.18 x 18.23 Outer Carton Dimension (WxDxH) (cm) 69.8 x 17.2 x 48.8 Outer Carton Dimension (WxDxH) (inch) 27.48 x 6.77 x 19.21 Weight (Gross kg) 6.4 Weight (Gross lbs) 14.11 Accessories DisplayPort Cable 0 HDMI Cable 1 Power Cord 1 AC Adaptor 1 Quick Guide 1 Model Info Series Name Gaming Segment Name AG Segment Name2 G27C4 Segment Name3 G27C4 E3 Barcode Info EAN 4711377131889