

DELL PowerEdge R350/ 8x 2.5"/ Xeon E-2314/ 16GB/ 1x 480GB SSD (2.5")/ H355/ 2x 700W/ iDRAC 9 Ent. 15G/ 3Y Basic on-site

cena vč DPH: **42037 Kč**

cena bez DPH: 34741 Kč



Kód zboží (ID): 6411665

PN: 1336093-3

Záruka: 36 měsíců

Technické parametre **Chassis** 2.5" Chassis with up to 8 Hot Plug Hard Drives
Processor Intel Xeon E-2314 2.8GHz, 8M Cache, 4C/4T, Turbo (65W), 3200 MT/s
Memory 1x 16GB UDIMM, 3200MT/s, ECC **Hard Drive** 1x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD **Add Hard Drive - Display - Graphics** no Graphics **PalmRest** ReadyRails™ Static Rails for 2/4-post Racks **Riser** Riser Config 0, 1 x8, 1 x16 slots **AIO Solution** PowerEdge 1U Standard Bezel **Camera & Mic - Optical Drive** No Internal Optical Drive **Wireless - WWAN - NIC** On-Board Broadcom 5720 Dual Port 1Gb LOM **Raid Level** C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) **Controller** PERC H355 Adapter Card **DRAC** iDRAC9, Enterprise 15G **Keyboard - Mouse - Battery - Power Supply** Dual, Hot-Plug, Power Supply Fully Redundant (1+1), 700W MM HLAC (ONLY FOR 200-240Vac) Titanium **Cable** 2x Rack Power Cord 2M (C13/C14 12A) - FGA Only **Operating System - OS Media - Antivirus - DDPE - Microsoft Software - vPro - Colour** Black **Service** 3Y Basic Onsite
Slovenská republika:

DELL Technická podpora: +421 2 5750 83 03

DELL ProSupport hotline: +421 2 5750 69 81

Česká republika:

DELL Technická podpora: +420 225 772 711

DELL ProSupport Česká Republika: +420 225 772 969

Link na výrobcu: https://www.dell.com/en-us/work/shop/servers-storage-and-networking/poweredge-r350-rack-server/spd/poweredge-r350/pe_r350_15328_vi_vp

<h2>Technické parametre</h2>

<table style="height: 680px; width: 97.5852%; border-collapse: collapse;" border="1">

<tbody>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff; border-style: hidden; background-color: #dd1d57;">Chassis</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px;">2.5" Chassis with up to 8 Hot Plug Hard Drives</td></tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style: hidden; background-color: #c90943; text-align: center;">Processor</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px; background-color: #e5e4e2;">Intel Xeon E-2314 2.8GHz, 8M Cache, 4C/4T, Turbo (65W), 3200 MT/s</td></tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff; border-style: hidden; background-color: #dd1d57;">Memory</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px;">1x 16GB UDIMM, 3200MT/s, ECC</td></tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style: hidden; background-color: #c90943; text-align: center;">Hard Drive</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px; background-color: #e5e4e2;">1x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD</td></tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff; border-style: hidden; background-color: #dd1d57;">Add Hard Drive</td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px;">-</td></tr>

<tr style="height: 40px;">

Display</td>
<-</td>

Graphics</td>	no Graphics</td>
PalmRest</td>	ReadyRails™ Static Rails for 2/4-post Racks</td>
Riser</td>	Riser Config 0, 1 x8, 1 x16 slots</td>
AIO Solution</td>	PowerEdge 1U Standard Bezel</td>
Camera & Mic</td>	<-</td>
Optical Drive</td>	No Internal Optical Drive</td>

```
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Wireless</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">WWAN</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">NIC</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">On-Board Broadcom 5720 Dual Port 1Gb LOM</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Raid Level</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">C1, No RAID for HDDs/SSDs
(Mixed Drive Types Allowed)</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Controller</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">PERC H355 Adapter Card</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">DRAC</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">iDRAC9, Enterprise 15G</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Keyboard</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
```

```
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Mouse</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Battery</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Power Supply</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">Dual, Hot-Plug, Power Supply
Fully Redundant (1+1), 700W MM HLAC (ONLY FOR 200-240Vac) Titanium</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Cable</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">2x Rack Power Cord 2M (C13/C14 12A) - FGA Only</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Operating System</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">OS Media</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Antivirus</span></strong></td>
```

DDPE	
Microsoft Software	
vPro	
Colour	
Black	
Service	
3Y Basic Onsite	

font-size: 10pt;">Slovenská republika:

</div>
<div>DELL
Technická podpora: +421 2 5750 83 03</div>
<div>DELL
ProSupport hotline: +421 2 5750 69 81</div>
<div><span style="font-family:
arial, helvetica, sans-serif;">Česká republika:</div>
<div>DELL
Technická podpora: +420 225 772 711</div>
<div>DELL
ProSupport Česká Republika: +420 225 772 969</div>
<div>Link na
výrobci: <a href="https://www.dell.com/en-us/work/shop/servers-storage-and-net
working/poweredge-r350-rack-server/spd/poweredge-r350/pe_r350_15328_vi_vp" t
arget="_blank">https://www.dell.com/en-us/work/shop/servers-storage-and-networ
king/poweredge-r350-rack-server/spd/poweredge-
r350/pe_r350_15328_vi_vp</div>