

# DELL PowerEdge T350/ Xeon E-2336/ 16GB/ 2x 4TB/ H755/ iDRAC 9 Enterprise 15G/ 1x 700W/ 3Y PS on-site

**cena vč DPH:** **41802 Kč**

**cena bez DPH:** 34547 Kč

**Kód zboží (ID):** 6443519

**PN:** DLM00378-2

**Záruka:** 36 měsíců



Technické parametre **Chassis** 3.5" Chassis with up to 8 Hot Plug Hard Drives and AIC PERC, hot-plug PSU **Processor** Intel Xeon E-2336 2.9GHz, 12M Cache, 6C/12T, Turbo (65W), 3200 MT/s **Memory** 1x 16GB UDIMM, 3200MT/s, ECC **Hard Drive** 2x 4TB Hard Drive SATA 6Gbps 7.2K 512n 3.5in Hot-Plug FGA ONLY **Add Hard Drive** - **Display** - **Graphics** no Graphics **PalmRest** - **Riser** - **AIO Solution** Security Bezel **Camera & Mic** - **Optical Drive** No Internal Optical Drive **Wireless** - **WWAN** - **NIC** On-Board Broadcom 5720 Dual Port 1Gb LOM **Raid Level** C7, Unconfigured RAID for HDDs or SSDs (Mixed Drive Types Allowed) **Controller** PERC H755 Adapter FH **DRAC** iDRAC9, Enterprise 15G **Keyboard** - **Mouse** - **Battery** - **Power Supply** Single, Hot-Plug, Power Supply, 700W MM HLAC (ONLY FOR 200-240Vac) Titanium, Non Redundant (1+0) **Cable** European Power Cord 220V **Operating System** - **OS** **Media** - **Antivirus** - **DDPE** - **Microsoft Software** - **vPro** - **Colour** Black **Service** 3Y ProSpt

## **Slovenská republika:**

DELL Technická podpora: +421 2 5750 83 03

DELL ProSupport hotline: +421 2 5750 69 81

## **Česká republika:**

DELL Technická podpora: +420 225 772 711

DELL ProSupport Česká Republika: +420 225 772 969

Link na výrobce: <https://www.dell.com/en-us/work/shop/productdetailstxn/poweredge-t350>

## <h2>Technické parametre</h2>

<table style="height: 680px; width: 97.5852%; border-collapse: collapse;" border="1">

<tbody>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff; border-style: hidden; background-color: #dd1d57;"><strong><span style="color: #ffffff;">Chassis</span></strong></td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px;">3.5" Chassis with up to 8 Hot Plug Hard Drives and AIC PERC, hot-plug PSU</td>

</tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style: hidden; background-color: #c90943; text-align: center;"><strong><span style="color: #ffffff;">Processor</span></strong></td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px; background-color: #e5e4e2;">Intel Xeon E-2336 2.9GHz, 12M Cache, 6C/12T, Turbo (65W), 3200 MT/s</td>

</tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff; border-style: hidden; background-color: #dd1d57;"><strong><span style="color: #ffffff;">Memory</span></strong></td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px;">1x 16GB UDIMM, 3200MT/s, ECC</td>

</tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style: hidden; background-color: #c90943; text-align: center;"><strong><span style="color: #ffffff;">Hard Drive</span></strong></td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px; background-color: #e5e4e2;">2x 4TB Hard Drive SATA 6Gbps 7.2K 512n 3.5in Hot-Plug FGA ONLY</td>

</tr>

<tr style="height: 40px;">

<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff; border-style: hidden; background-color: #dd1d57;"><strong><span style="color: #ffffff;">Add Hard Drive</span></strong></td>

<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px; padding-left: 30px;">-</td>

</tr>

```
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Display</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Graphics</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">no Graphics</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">PalmRest</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Riser</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">AIO Solution</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">Security Bezel</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Camera & Mic</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Optical Drive</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">No Internal Optical Drive</td>
</tr>
```

```
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Wireless</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">WWAN</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">NIC</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">On-Board Broadcom 5720 Dual Port 1Gb LOM</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Raid Level</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">C7, Unconfigured RAID for HDDs
or SSDs (Mixed Drive Types Allowed)</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Controller</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">PERC H755 Adapter FH</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">DRAC</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">iDRAC9, Enterprise 15G</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Keyboard</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
```

```

</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Mouse</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Battery</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Power Supply</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">Single, Hot-Plug, Power Supply,
700W MM HLAC (ONLY FOR 200-240Vac) Titanium, Non Redundant (1+0)</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">Cable</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">European Power Cord 220V</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Operating System</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px; background-color: #e5e4e2;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; text-align: center; border-color: #ffffff;
border-style: hidden; background-color: #dd1d57;"><strong><span style="color:
#ffffff;">OS Media</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;
padding-left: 30px;">-</td>
</tr>
<tr style="height: 40px;">
<td style="width: 17.2115%; height: 40px; border-color: #ffffff; border-style:
hidden; background-color: #c90943; text-align: center;"><strong><span
style="color: #ffffff;">Antivirus</span></strong></td>
<td style="border-style: double; border-color: #ffffff; width: 72.43%; height: 40px;

```

DDPE	
Microsoft Software	
vPro	
Colour	
Black	
Service	
3Y ProSpt	

Slovenská republika:

<div><span style="font-family: arial, helvetica, sans-serif; font-size: 8pt;">DELL  
Technická podpora: +421 2 5750 83 03</span></div>  
<div><span style="font-family: arial, helvetica, sans-serif; font-size: 8pt;">DELL  
ProSupport hotline: +421 2 5750 69 81</span></div>  
<div><strong><span style="font-size: 10pt;"><span style="font-family:  
arial, helvetica, sans-serif;">Česká republika:</span></span></strong></div>  
<div><span style="font-family: arial, helvetica, sans-serif; font-size: 8pt;">DELL  
Technická podpora: +420 225 772 711</span></div>  
<div><span style="font-family: arial, helvetica, sans-serif; font-size: 8pt;">DELL  
ProSupport Česká Republika: +420 225 772 969</span></div>  
<div><span style="font-family: arial, helvetica, sans-serif; font-size: 8pt;">Link na  
výrobce: <a href="https://www.dell.com/en-  
us/work/shop/productdetailstxn/poweredge-t350" target="\_blank">https://www.del  
l.com/en-us/work/shop/productdetailstxn/poweredge-t350</a></span></div>